

Annexe 1 de la circulaire du directeur des contributions ECHA - n° 3 du 19 janvier 2017

Description de tous les champs du fichier à envoyer pour l'échange FATCA version 2.0

Introduction

Ce document sert à décrire les différentes balises définies dans le schéma AEOI_LUX.
Le document a été généré en automatique sur base du schéma l'XSD. L'ACD impose cependant quelques restrictions supplémentaires qui sont documentées dans la circulaire ECHA - n° 3 au chapitre 3. « Caractéristiques du rapport à envoyer ».

Schema **AEOI_FATCA_V2.0.xsd**

schema location: [AEOI_FATCA_V2.0.xsd](#)
attributeFormDefault: **unqualified**
elementFormDefault: **qualified**
targetNamespace: **urn:lu:etat:acd:aeoi_fatca:v2.0**

Elements [AEOI LUX](#) Complex types [AEOI FATCA](#)

schema location: [FATCA_LUX_V2.0.xsd](#)
attributeFormDefault: **unqualified**
elementFormDefault: **qualified**
targetNamespace: **urn:lu:etat:acd:fatca:v2.0**

Elements FATCA LUX	Complex types AccountHolder_Type AdditionalData_Type CARRef_Type CorrectableAccountReport_Type CorrectableNilReport_Type CorrectablePoolReport_Type CorrectableReportOrganisation_Type DocSpec_Type Fatca_Type FIAccountNumber_Type Payment_Type	Simple types FatcaAcctHolderType_EnumType FatcaAcctPoolReportType_EnumType FatcaDocTypeIndic_EnumType FatcaFilerCategory_EnumType FatcaPaymentType_EnumType
---------------------------------------	---	--

SubstantialOwner_Type

schema location: [AEOI_LUX_V2.0.xsd](#)
 attributeFormDefault: **unqualified**
 elementFormDefault: **qualified**
 targetNamespace: **urn:lu:etat:acd:aeoi_lux:v2.0**

Complex types

[AEOI_ADDRESS](#)
[AEOI_Declarer](#)
[AEOI_Depositor](#)
[AEOI_PERSON](#)
[AEOI ReportingPerson_Type](#)

Simple types

[City](#)
[EmailAddress](#)
[FirstName](#)
[GIIN_Identifier_Type](#)
[Id_with_Extension_Type](#)
[Identifier_Extension_Type](#)
[Name](#)
[Number](#)
[PersonalIdentificationNumber](#)
[POBOX](#)
[PostalCode](#)
[ReportingPeriod](#)
[ReportRefId_Type](#)
[Street](#)
[Telephone](#)
[ZeroReport](#)

schema location: [isofatcatypes_v1.1.xsd](#)
 attributeFormDefault: **unqualified**
 elementFormDefault: **qualified**
 targetNamespace: **urn:oced:ties:isofatcatypes:v1**

Simple types

[CountryCode_Type](#)
[currCode_Type](#)

schema location: [stffatcatypes_v2.0.xsd](#)
 attributeFormDefault: **unqualified**
 elementFormDefault: **qualified**
 targetNamespace: **urn:oced:ties:stffatcatypes:v2**

Complex types

[Address_Type](#)
[AddressFix_Type](#)
[MessageSpec_Type](#)
[MonAmnt_Type](#)
[NameOrganisation_Type](#)
[NamePerson_Type](#)

Simple types

[MessageType_EnumType](#)
[StringMax10_Type](#)
[StringMax200_Type](#)
[StringMax4000_Type](#)
[StringMin1Max200_Type](#)
[TwoDigFract_Type](#)

[OrganisationParty_Type](#)

[PersonParty_Type](#)

[TIN_Type](#)


schema location: [oecdtypes_v4.2.xsd](#)
 attributeFormDefault: **unqualified**
 elementFormDefault: **qualified**
 targetNamespace: **urn:oecd:ties:stf:v4**

Simple types
[AcctNumberType_EnumType](#)
[OECDLegalAddressType_EnumType](#)
[OECDNameType_EnumType](#)

schema location: [ISO_COUNTRY_CODES_V1.1.xsd](#)
 attributeFormDefault: **unqualified**
 elementFormDefault: **qualified**
 targetNamespace: **urn:lu:etat:acd:aeoi:iso_cntry:v1**

Simple types
[CountryCode_Type](#)
[currCode_Type](#)

element **AEOI_LUX**

diagram						
namespace	urn:lu:etat:acd:aeoi_fatca:v2.0					
properties	content complex					
children	aeoi_lux_fatca:AEOI_FATCA					
attributes	Name version	Type xsd:string	Use	Default	Fixed	Annotation documentation AEOI LUX Schema Version


attribute **AEOI_LUX/@version**

type	xsd:string
annotation	documentation AEOI LUX Schema Version

element **AEOI_LUX/AEOI_FATCA**

diagram	
namespace	urn:lu:etat:acd:aeoi_fatca:v2.0
type	aeoi_lux_fatca:AEOI_FATCA
properties	content complex
children	aeoi_lux_fatca:AEOI_RefId aeoi_lux_fatca:AEOI_Depositor aeoi_lux_fatca:AEOI_Declarer aeoi_lux_fatca:AEOI_ReportingPerson aeoi_lux_fatca:RFI_Identifier aeoi_lux_fatca:ReportContent


complexType **AEOI_FATCA**

diagram	 For FATCA, the Reporting Person is the Reporting Financial Institution (RFI). This element is used by the ACD for tracking purposes (i.e. in case of ZeroReporting).
namespace	urn:lu:etat:acd:aeoi_fatca:v2.0
children	aeoi_lux_fatca:AEOI_RefId aeoi_lux_fatca:AEOI_Depositor aeoi_lux_fatca:AEOI_Declarer aeoi_lux_fatca:AEOI_ReportingPerson aeoi_lux_fatca:RFI_Identifier aeoi_lux_fatca:ReportContent
used by	element AEOI LUX/AEOI FATCA

element **AEOI_FATCA/AEOI_RefId**


diagram			
namespace	urn:lu:etat:acd:aeoi_fatca:v2.0		
type	aeoi:ReportRefId_Type		
properties	content	simple	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	100	

element **AEOI_FATCA/AEOI_Depositor**


diagram	
namespace	urn:lu:etat:acd:aeoi_fatca:v2.0

type	aeoi:AEOI_Depositor
properties	content complex
children	aeoi:NameDepositor aeoi:PersonalIdentificationNumberDepositor aeoi:AddressDepositor aeoi:PersonDepositor

element AEOI_FATCA/AEOI_Declarer

diagram	
namespace	urn:lu:etat:acd:aeoi_fatca:v2.0
type	aeoi:AEOI_Declarer
properties	content complex
children	aeoi:NameDeclarer aeoi:PersonalIdentificationNumberDeclarer aeoi:AddressDeclarer aeoi:PersonDeclarer

element AEOI_FATCA/AEOI_ReportingPerson


diagram	 For FATCA, the Reporting Person is the Reporting Financial Institution (RFI). This element is used by the ACD for tracking purposes (i.e. in case of ZeroReporting).
namespace	urn:lu:etat:acd:aeoi_fatca:v2.0
type	aeoi:AEOI_ReportingPerson_Type
properties	content complex
children	aeoi:NameReportingPerson aeoi:IdentificationNumber aeoi:IdentificationNumberExtension aeoi:AddressReportingPerson aeoi:PersonContactReportingPerson
annotation	documentation

	For FATCA, the Reporting Person is the Reporting Financial Institution (RFI). This element is used by the ACD for tracking purposes (i.e. in case of ZeroReporting).
--	---

element **AEOI_FATCA/RFI_Identifier**

diagram			
namespace	urn:lu:etat:acd:aeoi_fatca:v2.0		
type	aeoi:GIIN_Identifier_Type		
properties	content	simple	
facets	Kind	Value	Annotation
	pattern	([A-NP-Z0-9]{6})(\.)([A-NP-Z0-9]{5})(\.)([A-Z]){2}(\.)([d]){3}	


element **AEOI_FATCA/ReportContent**

diagram	
namespace	urn:lu:etat:acd:aeoi_fatca:v2.0
properties	minOcc0 maxOcc1 contentcomplex
children	aeoi_lux_fatca:ReportingPeriod fatca:FATCA_LUX aeoi_lux_fatca:ZeroReporting

element **AEOI_FATCA/ReportContent/ReportingPeriod**


diagram			
namespace	urn:lu:etat:acd:aeoi_fatca:v2.0		
type	aeoi:ReportingPeriod		
properties	content	simple	
facets	Kind	Value	Annotation
	pattern	((2)[0-9]{3})(-)(([0-1][0-9])(-)(([0-3])([0-9]))	

element **AEOI_FATCA/ReportContent/ZeroReporting**

diagram			
namespace	urn:lu:etat:acd:aeoi_fatca:v2.0		

type	aeoi:ZeroReport		
properties	content	simple	
facets	Kind pattern	Value true 1	Annotation

element
 FATCA_LUX

diagram													
namespace	urn:lu:etat:acd:fatca:v2.0												
properties	content complex												
children	ftc:MessageSpec ftc:FATCA												
used by	element AEOI FATCA/ReportContent												
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>version</td><td>sfa:StringMax10_Type</td><td></td><td></td><td></td><td>documentation FATCA Report Version. The same as FATCA schema version</td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	version	sfa:StringMax10_Type				documentation FATCA Report Version. The same as FATCA schema version
Name	Type	Use	Default	Fixed	Annotation								
version	sfa:StringMax10_Type				documentation FATCA Report Version. The same as FATCA schema version								
annotation	documentation Root element of XML FATCA Report												

attribute
 FATCA_LUX/@version

type	sfa:StringMax10_Type		
facets	Kind minLength maxLength	Value 0 10	Annotation
annotation	documentation FATCA Report Version. The same as FATCA schema version		

element **FATCA_LUX/MessageSpec**



diagram

ftc:MessageSpec

Message specification section for FATCA Report. Contains identifying information for FATCA Report.

sfa:MessageSpec_Type

sfa:SendingCompanyIN

Identifying number of the sender. For example, if the sender is a financial institution, the SendingCompanyIN will be the unique 19-character GIIN of this institution. If the sender is HCTA, the SendingCompanyIN will be the unique 19-character FATCT entity identifier of the HCTA.

sfa:TransmittingCountry

The jurisdiction where the reported financial account is maintained or where the reported payment is made by the reporting FI. If HCTA, the country is the tax jurisdiction and uses alpha-2 country code specified by ISO 3166-1 standard.

sfa:ReceivingCountry

Tax jurisdiction of the recipient, e.g. the United States (US) in alpha-2 country code specified by ISO 3166-1 standard.

sfa:MessageType

The type of message, e.g. FATCA

sfa:Warning

Free text expressing the restrictions for use of the information this message contains and the legal framework under which it is given

sfa:Contact

Free text field not intended for automatic processing. May contain contact information about persons responsible for legal and/or technical data preparation and transmission.

sfa:MessageRefId

Sender's unique identifier for this message. Must be unique for the lifespan of the FATCA reporting system.

sfa:CorrMessageRefId

0..∞

Sender's unique identifier for a previously filed message to be corrected, voided or amended. May reference one or more previous messages.

sfa:ReportingPeriod


The reporting year for the current message

sfa:Timestamp


The date and time when the report was created

namespace	urn:lu:etat:acd:fatca:v2.0
type	sfa:MessageSpec_Type
properties	content complex
children	sfa:SendingCompanyIN sfa:TransmittingCountry sfa:ReceivingCountry sfa:MessageType sfa:Warning sfa:Contact sfa:MessageRefId sfa:CorrMessageRefId sfa:ReportingPeriod sfa:Timestamp
annotation	documentation Message specification section for FATCA Report. Contains identifying information for FATCA Report.

element **FATCA_LUX/FATCA**

diagram	
namespace	urn:lu:etat:acd:fatca:v2.0
type	ftc:Fatca_Type
properties	content complex
children	ftc:ReportingFI ftc:ReportingGroup
annotation	documentation Message body section for a FATCA Report. Contains details for FATCA Report.


complexType **AccountHolder_Type**

diagram	
namespace	urn:lu:etat:acd:fatca:v2.0
children	ftc:Individual ftc:Organisation ftc:AcctHolderType
used by	element CorrectableAccountReport_Type/AccountHolder
annotation	documentation Type that contains the details abouts account holder

element **AccountHolder_Type/Individual**

diagram	
namespace	urn:lu:etat:acd:fatca:v2.0
type	sfa:PersonParty_Type
properties	content complex
children	sfa:ResCountryCode sfa:TIN sfa:Name sfa:Address sfa:Nationality sfa:BirthInfo
annotation	documentation The entity account holder or payee as a natural person


element **AccountHolder_Type/Organisation**

diagram	
namespace	urn:lu:etat:acd:fatca:v2.0
type	sfa:OrganisationParty_Type
properties	content complex
children	sfa:ResCountryCode sfa:TIN sfa:Name sfa:Address
annotation	documentation The entity account holder or payee not as a natural person


element **AccountHolder_Type/AcctHolderType**

diagram	ftc:AcctHolderType The entity account holder or payee category																					
namespace	urn:lu:etat:acd:fatca:v2.0																					
type	ftc:FatcaAcctHolderType EnumType																					
properties	content simple																					
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>FATCA101</td><td>documentation Owner-Documented FFI with specified U.S. owner(s)</td></tr><tr><td>enumeration</td><td>FATCA102</td><td>documentation Passive NFFE with substantial U.S. owner(s)</td></tr><tr><td>enumeration</td><td>FATCA103</td><td>documentation Non-Participating FFI</td></tr><tr><td>enumeration</td><td>FATCA104</td><td>documentation Specified U.S. Person</td></tr><tr><td>enumeration</td><td>FATCA105</td><td>documentation Direct Reporting NFFE</td></tr><tr><td>enumeration</td><td>FATCA106</td><td>documentation For U.S. Government Use Only (Attention to FIs and HCTAs: Restricted, Do Not Use)</td></tr></tbody></table>	Kind	Value	Annotation	enumeration	FATCA101	documentation Owner-Documented FFI with specified U.S. owner(s)	enumeration	FATCA102	documentation Passive NFFE with substantial U.S. owner(s)	enumeration	FATCA103	documentation Non-Participating FFI	enumeration	FATCA104	documentation Specified U.S. Person	enumeration	FATCA105	documentation Direct Reporting NFFE	enumeration	FATCA106	documentation For U.S. Government Use Only (Attention to FIs and HCTAs: Restricted, Do Not Use)
Kind	Value	Annotation																				
enumeration	FATCA101	documentation Owner-Documented FFI with specified U.S. owner(s)																				
enumeration	FATCA102	documentation Passive NFFE with substantial U.S. owner(s)																				
enumeration	FATCA103	documentation Non-Participating FFI																				
enumeration	FATCA104	documentation Specified U.S. Person																				
enumeration	FATCA105	documentation Direct Reporting NFFE																				
enumeration	FATCA106	documentation For U.S. Government Use Only (Attention to FIs and HCTAs: Restricted, Do Not Use)																				
annotation	documentation The entity account holder or payee category																					

complexType **AdditionalData_Type**

diagram	 The type for providing additional data. Contains elements of information identified by a descriptive name 1..100 Element of additional data item. Consists of identifying name and content
namespace	urn:lu:etat:acd:fatca:v2.0
children	ftc:AdditionalItem
used by	element CorrectableAccountReport_Type/AdditionalData
annotation	documentation The type for providing additional data. Contains elements of information identified by a descriptive name

element **AdditionalData_Type/AdditionalItem**

diagram	 1..100 Element of additional data item. Consists of identifying name and content ftc:ItemName Identifying name of the additional data item ftc:ItemContent Content of the additional data item
namespace	urn:lu:etat:acd:fatca:v2.0
properties	minOcc 1 maxOcc 100 content complex
children	ftc:ItemName ftc:ItemContent
annotation	documentation Element of additional data item. Consists of identifying name and content


element **AdditionalData_Type/AdditionalItem/ItemName**

diagram	 ftc:ItemName Identifying name of the additional data item									
namespace	urn:lu:etat:acd:fatca:v2.0									
type	sfa:StringMax200_Type									
properties	content simple									
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>0</td><td></td></tr><tr><td>maxLength</td><td>200</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	0		maxLength	200	
Kind	Value	Annotation								
minLength	0									
maxLength	200									
annotation	documentation Identifying name of the additional data item									

element **AdditionalData_Type/AdditionalItem/ItemContent**

diagram	ftc:ItemContent Content of the additional data item									
namespace	urn:lu:etat:acd:fatca:v2.0									
type	sfa:StringMax4000_Type									
properties	content simple									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>minLength</td><td>0</td><td></td></tr><tr><td>maxLength</td><td>4000</td><td></td></tr></table>	Kind	Value	Annotation	minLength	0		maxLength	4000	
Kind	Value	Annotation								
minLength	0									
maxLength	4000									
annotation	documentation Content of the additional data item									

complexType **CARRef_Type**

diagram	 CARRef_Type Type for CAR reference. Contains identifying information for Competent Authority Request. Required when account report is sent as a response to a Competent Authority Request (CAR). Used to associate the response to Competent Authority Request to a pooled report. ftc:PoolReportReportingFIGIIN GIIN of reporting financial institution in the pool report related to the Competent Authority Request ftc:PoolReportMessageRefId Reference Id of the message that contains pool report related to the Competent Authority Request ftc:PoolReportDocRefId Document reference Id of the pool report related to the Competent Authority Request
namespace	urn:lu:etat:acd:fatca:v2.0
children	ftc:PoolReportReportingFIGIIN ftc:PoolReportMessageRefId ftc:PoolReportDocRefId
used by	element CorrectableAccountReport_Type/CARRef
annotation	documentation Type for CAR reference. Contains identifying information for Competent Authority Request. Required when account report is sent as a response to a Competent Authority Request (CAR). Used to associate the response to Competent Authority Request to a pooled report.

element **CARRef_Type/PoolReportReportingFIGIIN**

diagram	 GIIN of reporting financial institution in the pool report related to the Competent Authority Request
namespace	urn:lu:etat:acd:fatca:v2.0
type	sfa:StringMax200_Type
properties	content simple

facets	Kind minLength maxLength	Value 0 200	Annotation
annotation	documentation GIIN of reporting financial institution in the pool report related to the Competent Authority Request		

element **CARef_Type/PoolReportMessageRefId**

diagram	 Reference Id of the message that contains pool report related to the Competent Authority Request		
namespace	urn:lu:etat:acd:fatca:v2.0		
type	sfa:StringMax200 Type		
properties	content	simple	
facets	Kind minLength maxLength	Value 0 200	Annotation
annotation	documentation Reference Id of the message that contains pool report related to the Competent Authority Request		


element **CARef_Type/PoolReportDocRefId**

diagram	 Document reference Id of the pool report related to the Competent Authority Request		
namespace	urn:lu:etat:acd:fatca:v2.0		
type	sfa:StringMax200 Type		
properties	content	simple	
facets	Kind minLength maxLength	Value 0 200	Annotation
annotation	documentation Document reference Id of the pool report related to the Competent Authority Request		

complexType **CorrectableAccountReport_Type**




diagram




namespace	urn:lu:etat:acd:fatca:v2.0
children	ftc:DocSpec ftc:AccountNumber ftc:AccountClosed ftc:AccountHolder ftc:SubstantialOwner ftc:AccountBalance ftc:Payment ftc:CARRef ftc:AdditionalData
used by	element Fatca_Type/ReportingGroup/AccountReport
annotation	documentation Type that contains details about account report

element **CorrectableAccountReport_Type/DocSpec**


diagram	
namespace	urn:lu:etat:acd:fatca:v2.0
type	ftc:DocSpec_Type
properties	content complex
children	ftc:DocTypeIndic ftc:DocRefId ftc:CorrMessageRefId ftc:CorrDocRefId
annotation	documentation Document specification for the account report

element **CorrectableAccountReport_Type/AccountNumber**


diagram	
namespace	urn:lu:etat:acd:fatca:v2.0

type	ftc:FIAccountNumber_Type					
properties	content	complex				
facets	Kind	Value	Annotation			
	minLength	0				
	maxLength	200				
attributes	Name	Type	Use	Default	Fixed	Annotation
	AcctNumberType	stf:AcctNumberType_EnumType	optional			documentation Account number type
annotation	documentation Financial institution account number used to uniquely identify the account holder or payee					


element **CorrectableAccountReport_Type/AccountClosed**

diagram	 ftc:AccountClosed The indicator whether the financial institution account status is closed for the account holder or payee					
namespace	urn:lu:etat:acd:fatca:v2.0					
type	xsd:boolean					
properties	minOcc	0	maxOcc	1	content	simple
annotation	documentation The indicator whether the financial institution account status is closed for the account holder or payee					


element **CorrectableAccountReport_Type/AccountHolder**

diagram	 The diagram illustrates the structure of the ftc:AccountHolder element. It is a complex type containing detailed information of the entity account holder or payee. The structure is defined by the ftc:AccountHolder_Type complex type, which is a choice between three elements: ftc:Individual, ftc:Organisation, and ftc:AcctHolderType. ftc:Individual represents the entity account holder or payee as a natural person. ftc:Organisation represents the entity account holder or payee not as a natural person. ftc:AcctHolderType represents the entity account holder or payee category.
namespace	urn:lu:etat:acd:fatca:v2.0
type	ftc:AccountHolder_Type
properties	content complex
children	ftc:Individual ftc:Organisation ftc:AcctHolderType
annotation	documentation Detailed information of the entity account holder or payee


element **CorrectableAccountReport_Type/SubstantialOwner**

diagram	
namespace	urn:lu:etat:acd:fatca:v2.0
type	ftc:SubstantialOwner_Type
properties	minOcc 0 maxOcc unbounded content complex
children	ftc:Individual ftc:Organisation
annotation	documentation Detailed information of the substantial owner of the account


element **CorrectableAccountReport_Type/AccountBalance**

diagram													
namespace	urn:lu:etat:acd:fatca:v2.0												
type	sfa:MonAmnt_Type												
properties	content complex												
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>fractionDigits</td><td>2</td><td></td></tr></table>	Kind	Value	Annotation	fractionDigits	2							
Kind	Value	Annotation											
fractionDigits	2												
attributes	<table><tr><td>Name</td><td>Type</td><td>Use</td><td>Default</td><td>Fixed</td><td>Annotation</td></tr><tr><td>currCode</td><td>iso:currCode_Type</td><td>required</td><td></td><td></td><td>documentation 3-letter currency code specified by ISO 4217 standard</td></tr></table>	Name	Type	Use	Default	Fixed	Annotation	currCode	iso:currCode_Type	required			documentation 3-letter currency code specified by ISO 4217 standard
Name	Type	Use	Default	Fixed	Annotation								
currCode	iso:currCode_Type	required			documentation 3-letter currency code specified by ISO 4217 standard								
annotation	documentation The account balance or value of the reported financial account												

element **CorrectableAccountReport_Type/Payment**


diagram	 The aggregate gross payment made to the reported financial account or to an entity that is not an account holder. Payment information is a repeating element, if more than one payment type needs to be reported
namespace	urn:lu:etat:acd:fatca:v2.0
type	ftc:Payment_Type
properties	minOcc 0 maxOcc unbounded content complex
children	ftc:Type ftc:PaymentTypeDesc ftc:PaymentAmnt
annotation	documentation The aggregate gross payment made to the reported financial account or to an entity that is not an account holder. Payment information is a repeating element, if more than one payment type needs to be reported

element **CorrectableAccountReport_Type/CARRef**


diagram	 Contains identifying information for Competent Authority Request (CAR). Required when account report is sent as a response to a Competent Authority Request (CAR). Used to associate the response to Competent Authority Request to a pooled report.
namespace	urn:lu:etat:acd:fatca:v2.0
type	ftc:CARRef_Type
properties	minOcc 0 maxOcc 1 content complex
children	ftc:PoolReportReportingFIGIIN ftc:PoolReportMessageRefId ftc:PoolReportDocRefId

annotation	documentation Contains identifying information for Competent Authority Request (CAR). Required when account report is sent as a response to a Competent Authority Request (CAR). Used to associate the response to Competent Authority Request to a pooled report.
------------	---


element **CorrectableAccountReport_Type/AdditionalData**

diagram	
namespace	urn:lu:etat:acd:fatca:v2.0
type	ftc:AdditionalData_Type
properties	minOcc 0 maxOcc 1 content complex
children	ftc:AdditionalItem
annotation	documentation Additional data for the reported account. Can be used for additional information in reciprocal report.


complexType **CorrectableNilReport_Type**

diagram	
namespace	urn:lu:etat:acd:fatca:v2.0
children	ftc:DocSpec ftc:NoAccountToReport
used by	element Fatca_Type/ReportingGroup/NilReport
annotation	documentation Type that contains details about Nil Report. Nil Report indicates that financial institution does not have accounts to report.


element **CorrectableNilReport_Type/DocSpec**

diagram	
namespace	urn:lu:etat:acd:fatca:v2.0
type	ftc:DocSpec_Type
properties	content complex
children	ftc:DocTypeIndic ftc:DocRefId ftc:CorrMessageRefId ftc:CorrDocRefId
annotation	documentation Document specification for the Nil Report

element **CorrectableNilReport_Type/NoAccountToReport**

diagram	
namespace	urn:lu:etat:acd:fatca:v2.0
type	xsd:string
properties	content simple fixed yes
annotation	documentation Indicator that shows that financial institution doesn't have accounts to report

complexType **CorrectablePoolReport_Type**

diagram 	
namespace	urn:lu:etat:acd:fatca:v2.0
children	ftc:DocSpec ftc:AccountCount ftc:AccountPoolReportType ftc:PoolBalance
used by	element Fatca_Type/ReportingGroup/PoolReport
annotation	documentation Type that contains details about the pool report

element **CorrectablePoolReport_Type/DocSpec**

diagram	
namespace	urn:lu:etat:acd:fatca:v2.0
type	ftc:DocSpec_Type
properties	content complex
children	ftc:DocTypeIndic ftc:DocRefId ftc:CorrMessageRefId ftc:CorrDocRefId
annotation	documentation Document specification for the pool report

element **CorrectablePoolReport_Type/AccountCount**


diagram	
namespace	urn:lu:etat:acd:fatca:v2.0
type	xsd:positiveInteger
properties	content simple
annotation	documentation The number of accounts associated with the pool report

element **CorrectablePoolReport_Type/AccountPoolReportType**

diagram	
namespace	urn:lu:etat:acd:fatca:v2.0

type	ftc:FatcaAcctPoolReportType_EnumType		
properties	content	simple	
facets	Kind	Value	Annotation
	enumeration	FATCA201	documentation Recalcitrant account holders with U.S. Indicia
	enumeration	FATCA202	documentation Recalcitrant account holders without US Indicia
	enumeration	FATCA203	documentation Dormant accounts
	enumeration	FATCA204	documentation Non-participating FFIs
	enumeration	FATCA205	documentation Recalcitrant account holders that are U.S. persons
	enumeration	FATCA206	documentation Recalcitrant account holders that are passive NFFEs
annotation	documentation The pool report account status for the account holders or payees		

element **CorrectablePoolReport_Type/PoolBalance**

diagram	 For non-participating FFIs pool types, the pool balance is the aggregate foreign reportable amounts paid to non-participating FFIs within the reported pool. For all other pool types, the pool balance is the aggregate amount or value of all accounts within the reported pool.					
namespace	urn:lu:etat:acd:fatca:v2.0					
type	sfa:MonAmnt_Type					
properties	content	complex				
facets	Kind	Value	Annotation			
	fractionDigits	2				
attributes	Name	Type	Use	Default	Fixed	Annotation
	currCode	iso:currCode_Type	required			documentation 3-letter currency code specified by ISO 4217 standard
annotation	documentation For non-participating FFIs pool types, the pool balance is the aggregate foreign reportable amounts paid to non-participating FFIs within the reported pool. For all other pool types, the pool balance is the aggregate amount or value of all accounts within the reported pool.					

complexType CorrectableReportOrganisation_Type


diagram	CorrectableReportOrganisation... Type that contains details about entity that can act as a filer of report (e.g. Sponsor, Reporting FI or Intermediary) sfa:OrganisationParty_Type (extension) sfa:ResCountryCode (0..∞) 2-character code of tax residence country for the organisation sfa:TIN (0..∞) Tax Identification Number sfa:Name (1..∞) Name of the organisation sfa:Address (1..∞) Address of the organisation ftc:FilerCategory (1..∞) Code that identifies the category of a filer ftc:DocSpec (1..∞) Document specification for organisation
namespace	urn:lu:etat:acd:fatca:v2.0
type	extension of sfa:OrganisationParty_Type
properties	base sfa:OrganisationParty_Type
children	sfa:ResCountryCode sfa:TIN sfa:Name sfa:Address ftc:FilerCategory ftc:DocSpec
used by	elements Fatca_Type/ReportingGroup/Intermediary Fatca_Type/ReportingFI Fatca_Type/ReportingGroup/Sponsor
annotation	documentation Type that contains details about entity that can act as a filer of report (e.g. Sponsor, Reporting FI or Intermediary)

element CorrectableReportOrganisation_Type/FilerCategory

diagram	ftc:FilerCategory Code that identifies the category of a filer
namespace	urn:lu:etat:acd:fatca:v2.0
type	ftc:FatcaFilerCategory_EnumType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration FATCA601 documentation

	enumeration	FATCA602	PFFI (other than a Reporting Model 2 FFI and including a U.S. branch of a PFFI not treated as a U.S. person)
	enumeration	FATCA603	documentation RDC FFI
	enumeration	FATCA604	documentation Limited Branch or Limited FFI
	enumeration	FATCA605	documentation Reporting Model 2 FFI
	enumeration	FATCA606	documentation QI, WP, or WT
	enumeration	FATCA607	documentation Direct Reporting NFFE
	enumeration	FATCA608	documentation Sponsoring Entity of a Sponsored FFI
	enumeration	FATCA609	documentation Sponsoring Entity of a Sponsored Direct Reporting NFFE
	enumeration	FATCA610	documentation Trustee of a Trustee-Documented Trust
	enumeration	FATCA611	documentation Withholding Agent (including a U.S. branch of a PFFI, Reporting Model 1 FFI, Reporting Model 2 FFI, or RDC FFI treated as a U.S. person and a U.S. branch of a Reporting Model 1 FFI (including any other RDC FFI) or Limited FFI that is not treated as a U.S. person)
	enumeration	FATCA611	documentation Territory Financial Institution treated as a U.S. person
annotation	documentation		Code that identifies the category of a filer


element **CorrectableReportOrganisation_Type/DocSpec**

diagram	
namespace	urn:lu:etat:acd:fatca:v2.0
type	ftc:DocSpec_Type
properties	content complex
children	ftc:DocTypeIndic ftc:DocRefId ftc:CorrMessageRefId ftc:CorrDocRefId
annotation	documentation Document specification for organisation

complexType **DocSpec_Type**

diagram	DocSpec_Type Type for document specification: Data identifying and describing the document, where 'document' here means the part of a message that is to transmit the data about a single block of FATCA information ftc:DocTypeIndic Identifies the type of the document(e.g. New Data, New Test Data, Corrected Data) ftc:DocRefId Sender's unique identifier of this document ftc:CorrMessageRefId Reference id of the message of the document referred to if this is a correction ftc:CorrDocRefId Reference id of the document referred to if this is correction
namespace	urn:lu:etat:acd:fatca:v2.0
children	ftc:DocTypeIndic ftc:DocRefId ftc:CorrMessageRefId ftc:CorrDocRefId
used by	elements CorrectableReportOrganisation_Type/DocSpec CorrectablePoolReport_Type/DocSpec CorrectableAccountReport_Type/DocSpec CorrectableNilReport_Type/DocSpec
annotation	documentation Type for document specification: Data identifying and describing the document, where 'document' here means the part of a message that is to transmit the data about a single block of FATCA information


element **DocSpec_Type/DocTypeIndic**

diagram	 ftc:DocTypeIndic Identifies the type of the document(e.g. New Data, New Test Data, Corrected Data)		
namespace	urn:lu:etat:acd:fatca:v2.0		
type	ftc:FatcaDocTypeIndic_EnumType		
properties	content simple		
facets	Kind	Value	Annotation
	enumeration	FATCA1	documentation New Data
	enumeration	FATCA2	documentation Corrected Data
	enumeration	FATCA3	documentation Void Data
	enumeration	FATCA4	documentation Amended Data
annotation	documentation Identifies the type of the document(e.g. New Data, New Test Data, Corrected Data)		


element **DocSpec_Type/DocRefId**

diagram	ftc:DocRefId Sender's unique identifier of this document									
namespace	urn:lu:etat:acd:fatca:v2.0									
type	sfa:StringMax200_Type									
properties	content simple									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>0</td><td></td></tr><tr><td>maxLength</td><td>200</td><td></td></tr></table>	Kind	Value	Annotation	minLength	0		maxLength	200	
Kind	Value	Annotation								
minLength	0									
maxLength	200									
annotation	documentation Sender's unique identifier of this document									

element **DocSpec_Type/CorrMessageRefId**

diagram	 Reference id of the message of the document referred to if this is a correction									
namespace	urn:lu:etat:acd:fatca:v2.0									
type	sfa:StringMax200_Type									
properties	<table><tr><td>minOcc</td><td>0</td></tr><tr><td>maxOcc</td><td>1</td></tr><tr><td>content</td><td>simple</td></tr></table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>0</td><td></td></tr><tr><td>maxLength</td><td>200</td><td></td></tr></table>	Kind	Value	Annotation	minLength	0		maxLength	200	
Kind	Value	Annotation								
minLength	0									
maxLength	200									
annotation	documentation Reference id of the message of the document referred to if this is a correction									

element **DocSpec_Type/CorrDocRefId**

diagram	 Reference id of the document referred to if this is correction									
namespace	urn:lu:etat:acd:fatca:v2.0									
type	sfa:StringMax200_Type									
properties	<table><tr><td>minOcc</td><td>0</td></tr><tr><td>maxOcc</td><td>1</td></tr><tr><td>content</td><td>simple</td></tr></table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>0</td><td></td></tr><tr><td>maxLength</td><td>200</td><td></td></tr></table>	Kind	Value	Annotation	minLength	0		maxLength	200	
Kind	Value	Annotation								
minLength	0									
maxLength	200									
annotation	documentation Reference id of the document referred to if this is correction									

complexType **Fatca_Type**


diagram	Fatca_Type Type that contains details about FATCA report ftc:ReportingFI Reporting financial institution ftc:ReportingGroup Group that wraps the details for a financial institution FATCA report
namespace	urn:lu:etat:acd:fatca:v2.0
children	ftc:ReportingFI ftc:ReportingGroup
used by	element FATCA_LUX/FATCA
annotation	documentation Type that contains details about FATCA report

element **Fatca_Type/ReportingFI**

diagram	ftc:ReportingFI Reporting financial institution ftc:CorrectableReportOrganisation_Type sfa:ResCountryCode 2-character code of tax residence country for the organisation 0..∞ sfa:TIN Tax Identification Number 0..∞ sfa:Name Name of the organisation 1..∞ sfa:Address Address of the organisation 1..∞ ftc:FilerCategory Code that identifies the category of a filer ftc:DocSpec Document specification for organisation
namespace	urn:lu:etat:acd:fatca:v2.0
type	ftc:CorrectableReportOrganisation_Type
properties	content complex
children	sfa:ResCountryCode sfa:TIN sfa:Name sfa:Address ftc:FilerCategory ftc:DocSpec


annotation	documentation Reporting financial institution
------------	--

element **Fatca_Type/ReportingGroup**

diagram	 <pre> graph LR RG[ftc:ReportingGroup] --> S[ftc:Sponsor] RG --> I[ftc:Intermediary] RG --> C1(()) C1 --> NR[ftc:NilReport] C1 --> C2(()) C2 --> AR[ftc:AccountReport] C2 --> PR[ftc:PoolReport] </pre> ftc:ReportingGroup Group that wraps the details for a financial institution FATCA report ftc:Sponsor Detailed information about the Sponsoring Entity ftc:Intermediary Detailed information about the Territory Financial Institute that is acting as an intermediary on behalf of the reported financial account or an entity. ftc:NilReport Nil Report indicates that financial institution does not have accounts to report ftc:AccountReport Detailed information for account report, such as account number and account balance 0..∞ ftc:PoolReport Information about the pool of account holders with similar characteristics 0..∞
namespace	urn:lu:etat:acd:fatca:v2.0
properties	minOcc 0 maxOcc 1 content complex
children	ftc:Sponsor ftc:Intermediary ftc:NilReport ftc:AccountReport ftc:PoolReport
annotation	documentation Group that wraps the details for a financial institution FATCA report


element **Fatca_Type/ReportingGroup/Sponsor**

diagram



namespace	urn:lu:etat:acd:fatca:v2.0
type	ftc:CorrectableReportOrganisation_Type
properties	minOcc 0 maxOcc 1 content complex
children	sfa:ResCountryCode sfa:TIN sfa:Name sfa:Address ftc:FilerCategory ftc:DocSpec
annotation	documentation Detailed information about the Sponsoring Entity

element **Fatca_Type/ReportingGroup/Intermediary**



namespace	urn:lu:etat:acd:fatca:v2.0
-----------	----------------------------


type	<u>ftc:CorrectableReportOrganisation Type</u>
------	---

properties	minOcc	0
	maxOcc	1
	content	complex

children	<u>sfa:ResCountryCode</u> <u>sfa:TIN</u> <u>sfa:Name</u> <u>sfa:Address</u> <u>ftc:FilerCategory</u> <u>ftc:DocSpec</u>
----------	---


annotation	documentation Detailed information about the Territory Financial Institute that is acting as an intermediary on behalf of the reported financial account or an entity.
------------	---

element
 Fatca_Type/ReportingGroup/NilReport

diagram	
namespace	urn:lu:etat:acd:fatca:v2.0
type	ftc:CorrectableNilReport_Type
properties	content complex
children	ftc:DocSpec ftc:NoAccountToReport
annotation	documentation Nil Report indicates that financial institution does not have accounts to report


element **Fatca_Type/ReportingGroup/AccountReport**

diagram




namespace	urn:lu:etat:acd:fatca:v2.0
type	ftc:CorrectableAccountReport_Type
properties	minOcc 0 maxOcc unbounded content complex
children	ftc:DocSpec ftc:AccountNumber ftc:AccountClosed ftc:AccountHolder ftc:SubstantialOwner ftc:AccountBalance ftc:Payment ftc:CARRef ftc:AdditionalData
annotation	documentation Detailed information for account report, such as account number and account balance

element **Fatca_Type/ReportingGroup/PoolReport**

diagram	 The diagram illustrates the structure of the ftc:CorrectablePoolReport_Type element. It is a complex type containing four child elements: ftc:DocSpec: Document specification for the pool report. ftc:AccountCount: The number of accounts associated with the pool report. ftc:AccountPoolReportType: The pool report account status for the account holders or payees. ftc:PoolBalance: For non-participating FFIs pool types, the pool balance is the aggregate foreign reportable amounts paid to non-participating FFIs within the reported pool. For all other pool types, the pool balance is the aggregate amount or value of all accounts within the reported pool. The ftc:PoolReport element is shown as a dashed box, indicating it is a base type or a related concept, with a cardinality of 0..∞. It is described as "Information about the pool of account holders with similar characteristics".
namespace	urn:lu:etat:acd:fatca:v2.0
type	ftc:CorrectablePoolReport_Type
properties	minOcc 0 maxOcc unbounded content complex
children	ftc:DocSpec ftc:AccountCount ftc:AccountPoolReportType ftc:PoolBalance
annotation	documentation Information about the pool of account holders with similar characteristics


complexType **FIAccountNumber_Type**

diagram						
namespace	urn:lu:etat:acd:fatca:v2.0					
type	extension of sfa:StringMax200_Type					
properties	base sfa:StringMax200_Type					
used by	element CorrectableAccountReport_Type/AccountNumber					
facets	Kind	Value	Annotation			
	minLength	0				
	maxLength	200				
attributes	Name	Type	Use	Default	Fixed	Annotation
	AcctNumberType	stf:AcctNumberType_EnumType	optional			documentation Account number type
annotation	documentation Type that contains the details about account number					

attribute **FIAccountNumber_Type/@AcctNumberType**


type	stf:AcctNumberType_EnumType		
properties	use optional		
facets	Kind enumeration	Value OECD601	Annotation documentation IBAN
	enumeration	OECD602	documentation OBAN
	enumeration	OECD603	documentation ISIN
	enumeration	OECD604	documentation OSIN
	enumeration	OECD605	documentation Other
annotation	documentation Account number type		

complexType **Payment_Type**

diagram						
namespace	urn:lu:etat:acd:fatca:v2.0					

children	ftc:Type ftc:PaymentTypeDesc ftc:PaymentAmnt
used by	element CorrectableAccountReport_Type/Payment
annotation	documentation Type that contains details about payment type


element **Payment_Type/Type**

diagram	 Type of payment (interest, dividend, etc.)		
namespace	urn:lu:etat:acd:fatca:v2.0		
type	ftc:FatcaPaymentType_EnumType		
properties	content	simple	
facets	Kind	Value	Annotation
	enumeration	FATCA501	documentation Dividends
	enumeration	FATCA502	documentation Interest
	enumeration	FATCA503	documentation Gross Proceeds/Redemptions
	enumeration	FATCA504	documentation Other
annotation	documentation Type of payment (interest, dividend, etc.)		


element **Payment_Type/PaymentTypeDesc**

diagram	 Additional information about the payment type		
namespace	urn:lu:etat:acd:fatca:v2.0		
type	sfa:StringMax4000_Type		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	minLength	0	
	maxLength	4000	
annotation	documentation Additional information about the payment type		


element **Payment_Type/PaymentAmnt**

diagram						
namespace	urn:lu:etat:acd:fatca:v2.0					
type	sfa:MonAmnt_Type					
properties	content	complex				
facets	Kind	fractionDigits	Value	2	Annotation	
attributes	Name	currCode	Type	iso:currCode_Type	Use	required
					Default	
					Fixed	
						Annotation documentation 3-letter currency code specified by ISO 4217 standard
annotation	documentation	The amount of payment				


complexType **SubstantialOwner_Type**

diagram						
namespace	urn:lu:etat:acd:fatca:v2.0					
children	ftc:Individual ftc:Organisation					
used by	element	CorrectableAccountReport_Type/SubstantialOwner				
annotation	documentation	Type that contains details for a substantial owner of an account				

element **SubstantialOwner_Type/Individual**

diagram 	
namespace	urn:lu:etat:acd:fatca:v2.0
type	sfa:PersonParty_Type
properties	content complex
children	sfa:ResCountryCode sfa:TIN sfa:Name sfa:Address sfa:Nationality sfa:BirthInfo
annotation	documentation Substantial owner of the account as a natural person

element **SubstantialOwner_Type/Organisation**

diagram	
namespace	urn:lu:etat:acd:fatca:v2.0
type	sfa:OrganisationParty_Type
properties	content complex
children	sfa:ResCountryCode sfa:TIN sfa:Name sfa:Address
annotation	documentation Substantial owner of the account not as a natural person

simpleType **FatcaAcctHolderType_EnumType**

namespace	urn:lu:etat:acd:fatca:v2.0		
type	restriction of xsd:string		
properties	base xsd:string		
used by	element AccountHolder_Type/AcctHolderType		
facets	Kind	Value	Annotation
	enumeration	FATCA101	documentation Owner-Documented FFI with specified U.S. owner(s)
	enumeration	FATCA102	documentation Passive NFFE with substantial U.S. owner(s)
	enumeration	FATCA103	documentation Non-Participating FFI
	enumeration	FATCA104	documentation Specified U.S. Person
	enumeration	FATCA105	documentation Direct Reporting NFFE
	enumeration	FATCA106	documentation For U.S. Government Use Only (Attention to FIs and HCTAs: Restricted, Do Not Use)
annotation	documentation Account Holder Type		

simpleType **FatcaAcctPoolReportType_EnumType**

namespace	urn:lu:etat:acd:fatca:v2.0		
type	restriction of xsd:string		
properties	base xsd:string		
used by	element CorrectablePoolReport_Type/AccountPoolReportType		
facets	Kind	Value	Annotation
	enumeration	FATCA201	documentation Recalcitrant account holders with U.S. Indicia
	enumeration	FATCA202	documentation Recalcitrant account holders without US Indicia
	enumeration	FATCA203	documentation Dormant accounts
	enumeration	FATCA204	documentation Non-participating FFIs
	enumeration	FATCA205	documentation Recalcitrant account holders that are U.S. persons
	enumeration	FATCA206	documentation Recalcitrant account holders that are passive NFFEs
annotation	documentation Account Pool Reporting Type		

simpleType **FatcaDocTypeIndic_EnumType**

namespace	urn:lu:etat:acd:fatca:v2.0		
type	restriction of xsd:string		
properties	base xsd:string		
used by	element DocSpec_Type/DocTypeIndic		
facets	Kind	Value	Annotation
	enumeration	FATCA1	documentation New Data
	enumeration	FATCA2	documentation Corrected Data
	enumeration	FATCA3	documentation Void Data
	enumeration	FATCA4	documentation Amended Data
annotation	documentation The element applies only to the document part in which it is included. In the case of repeated or corrected data elements CorrMessageRefId and CorrDocRefId must contain the identifiers MessageRefId and DocRefId respectively for the data referred to. In the case of a correction the unchanged elements shall be transmitted again - except for the element DocRefId.		

simpleType **FatcaFilerCategory_EnumType**


namespace	urn:lu:etat:acd:fatca:v2.0		
type	restriction of xsd:string		
properties	base xsd:string		
used by	element CorrectableReportOrganisation_Type/FilerCategory		
facets	Kind	Value	Annotation
	enumeration	FATCA601	documentation PFFI (other than a Reporting Model 2 FFI and including a U.S. branch of a PFFI not treated as a U.S. person)
	enumeration	FATCA602	documentation RDC FFI
	enumeration	FATCA603	documentation Limited Branch or Limited FFI

	enumeration	FATCA604	documentation Reporting Model 2 FFI
	enumeration	FATCA605	documentation QI, WP, or WT
	enumeration	FATCA606	documentation Direct Reporting NFFE
	enumeration	FATCA607	documentation Sponsoring Entity of a Sponsored FFI
	enumeration	FATCA608	documentation Sponsoring Entity of a Sponsored Direct Reporting NFFE
	enumeration	FATCA609	documentation Trustee of a Trustee-Documented Trust
	enumeration	FATCA610	documentation Withholding Agent (including a U.S. branch of a PFFI, Reporting Model 1 FFI, Reporting Model 2 FFI, or RDC FFI treated as a U.S. person and a U.S. branch of a Reporting Model 1 FFI (including any other RDC FFI) or Limited FFI that is not treated as a U.S. person)
	enumeration	FATCA611	documentation Territory Financial Institution treated as a U.S. person
annotation	documentation Filer Category		

simpleType **FatcaPaymentType_EnumType**

namespace	urn:lu:etat:acd:fatca:v2.0		
type	restriction of xsd:string		
properties	base	xsd:string	
used by	element	Payment_Type/Type	
facets	Kind	Value	Annotation
	enumeration	FATCA501	documentation Dividends
	enumeration	FATCA502	documentation Interest
	enumeration	FATCA503	documentation Gross Proceeds/Redemptions
	enumeration	FATCA504	documentation Other
annotation	documentation The code describing the nature of the payments used in FATCA		


complexType **AEOI_ADDRESS**

diagram	
namespace	urn:lu:etat:acd:aeoi_lux:v2.0
children	aeoi:StreetPhysical aeoi:NumberPhysical aeoi:PostalCodePhysical aeoi:CityPhysical aeoi:CountryPhysical aeoi:POBox aeoi:PostalCodePostal aeoi:CityPostal aeoi:CountryPostal
used by	elements AEOI_Declarer/AddressDeclarer AEOI_Depositor/AddressDepositor AEOI_ReportingPerson_Type/AddressReportingPerson


element **AEOI_ADDRESS/StreetPhysical**

diagram							
namespace	urn:lu:etat:acd:aeoi_lux:v2.0						
type	aeoi:Street						
properties	content simple						
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>maxLength</td><td>100</td><td></td></tr></table>	Kind	Value	Annotation	maxLength	100	
Kind	Value	Annotation					
maxLength	100						


element **AEOI_ADDRESS/NumberPhysical**

diagram							
namespace	urn:lu:etat:acd:aeoi_lux:v2.0						
type	aeoi:Number						
properties	content simple						
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>maxLength</td><td>100</td><td></td></tr></tbody></table>	Kind	Value	Annotation	maxLength	100	
Kind	Value	Annotation					
maxLength	100						

element **AEOI_ADDRESS/PostalCodePhysical**

diagram			
namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	aeoi:PostalCode		
properties	content simple		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	16	


element **AEOI_ADDRESS/CityPhysical**

diagram			
namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	aeoi:City		
properties	content simple		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	75	

element **AEOI_ADDRESS/CountryPhysical**

diagram			
namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	CountryCode Type		
properties	content simple		
facets	Kind	Value	Annotation
	enumeration	AF	documentation AFGHANISTAN
	enumeration	.1	documentation
	enumeration	LU	.. documentation LUXEMBOURG
	enumeration	.2	documentation
	enumeration	US	.. documentation UNITED STATES
	enumeration	.3	documentation
	enumeration	ZW	... documentation ZIMBABWE

element **AEOI_ADDRESS/POBox**


diagram			
---------	---	--	--

namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	aeoi:POBOX		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	maxLength	16	


element **AEOI_ADDRESS/PostalCodePostal**

diagram			
namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	aeoi:PostalCode		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	16	

element **AEOI_ADDRESS/CityPostal**


diagram			
namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	aeoi:City		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	75	

element **AEOI_ADDRESS/CountryPostal**


diagram			
namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	CountryCode Type		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	AF	documentation AFGHANISTAN
	enumeration	.1	documentation
	enumeration	LU	.. documentation LUXEMBOURG

	enumeration	.2	documentation
	enumeration	US	documentation
	enumeration	.3	documentation
	enumeration	ZW	documentation
			UNITED STATES
			ZIMBABWE


complexType **AEOI_Declarer**

diagram	 Explanation: Declarer (Déclarant) Institution that is responsible for the reporting. This block contains: - The foreign tax identification number. For FATCA, it is the GIIN.- The name and address of the related Reporting Luxembourg Financial Institution, - The contact data of the person who is able to respond to business questions.
namespace	urn:lu:etat:acd:aeoi_lux:v2.0
children	aeoi:NameDeclarer aeoi:PersonalIdentificationNumberDeclarer aeoi:AddressDeclarer aeoi:PersonDeclarer
used by	element AEOI FATCA/AEOI Declarer
annotation	documentation Explanation: Declarer (Déclarant) Institution that is responsible for the reporting. This block contains: - The foreign tax identification number. For FATCA, it is the GIIN.- The name and address of the related Reporting Luxembourg Financial Institution, - The contact data of the person who is able to respond to business questions.


element **AEOI_Declarer/NameDeclarer**

diagram			
namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	aeoi:Name		
properties	content	simple	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	100	


element **AEOI_Declarer/PersonalIdentificationNumberDeclarer**

diagram			
namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	aeoi:PersonalIdentificationNumber		
properties	content	simple	
facets	Kind	Value	Annotation
	pattern	((([0-2]){1}([0-9]{10}){0,1}) ([0-9]{2}){0,1})\s*) ((\s*([Nn](/ \.)?\s)*[Aa])(\.)?(\s*))	


element **AEOI_Declarer/AddressDeclarer**

diagram	
namespace	urn:lu:etat:acd:aeoi_lux:v2.0
type	aeoi:AEOI_ADDRESS
properties	content complex
children	aeoi:StreetPhysical aeoi:NumberPhysical aeoi:PostalCodePhysical aeoi:CityPhysical aeoi:CountryPhysical aeoi:POBox aeoi:PostalCodePostal aeoi:CityPostal aeoi:CountryPostal


element **AEOI_Declarer/PersonDeclarer**

diagram	
namespace	urn:lu:etat:acd:aeoi_lux:v2.0
type	aeoi:AEOI_PERSON
properties	content complex
children	aeoi:Name aeoi:FirstName aeoi:EmailPersonal aeoi:EmailOrganisation aeoi:TelephoneDirect

complexType **AEOI_Depositor**

diagram	 Depositor (Déposant) is responsible for the transfer of the file to ACD. Purpose of this block: Provides the contact details of the depositor in case of technical issues.
namespace	urn:lu:etat:acd:aeoi_lux:v2.0
children	aeoi:NameDepositor aeoi:PersonalIdentificationNumberDepositor aeoi:AddressDepositor aeoi:PersonDepositor
used by	element AEOI_FATCA/AEOI_Depositor
annotation	documentation Depositor (Déposant) is responsible for the transfer of the file to ACD. Purpose of this block: Provides the contact details of the depositor in case of technical issues.

element **AEOI_Depositor/NameDepositor**

diagram	
namespace	urn:lu:etat:acd:aeoi_lux:v2.0

type	aeoi:Name		
properties	content	simple	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	100	


element **AEOI_Depositor/PersonalIdentificationNumberDepositor**

diagram			
namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	aeoi:PersonalIdentificationNumber		
properties	content	simple	
facets	Kind	Value	Annotation
	pattern	(((0-2){1}([0-9]{10})([0-9]{2}){0,1})s*)((\s*([Nn](/ \.)?(\s)*[Aa])(\.)?(\s)*))	


element **AEOI_Depositor/AddressDepositor**

diagram	
namespace	urn:lu:etat:acd:aeoi_lux:v2.0
type	aeoi:AEOI_ADDRESS
properties	content complex
children	aeoi:StreetPhysical aeoi:NumberPhysical aeoi:PostalCodePhysical aeoi:CityPhysical aeoi:CountryPhysical aeoi:POBox aeoi:PostalCodePostal aeoi:CityPostal aeoi:CountryPostal


element **AEOI_Depositor/PersonDepositor**

diagram	
namespace	urn:lu:etat:acd:aeoi_lux:v2.0
type	aeoi:AEOI_PERSON
properties	content complex
children	aeoi:Name aeoi:FirstName aeoi:EmailPersonal aeoi:EmailOrganisation aeoi:TelephoneDirect

complexType **AEOI_PERSON**

diagram	 Information about an individual who will be contacted by the ACD (SRI office) in case of questions.
namespace	urn:lu:etat:acd:aeoi_lux:v2.0
children	aeoi:Name aeoi:FirstName aeoi:EmailPersonal aeoi:EmailOrganisation aeoi:TelephoneDirect
used by	elements AEOI_ReportingPerson_Type/PersonContactReportingPerson AEOI_Declarer/PersonDeclarer AEOI_Depositor/PersonDepositor
annotation	documentation Information about an individual who will be contacted by the ACD (SRI office) in case of questions.

element **AEOI_PERSON/Name**

diagram	
namespace	urn:lu:etat:acd:aeoi_lux:v2.0
type	aeoi:Name
properties	content simple

facets	Kind	Value	Annotation
	minLength	1	
	maxLength	100	


element **AEOI_PERSON/FirstName**

diagram			
namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	aeoi:FirstName		
properties	content	simple	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	100	

element **AEOI_PERSON/EmailPersonal**

diagram			
namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	aeoi:EmailAddress		
properties	content	simple	
facets	Kind	Value	Annotation
	maxLength	254	
	pattern	\w+([-\.'_,;:=~()!*~\$?&]w*)*@\w+([-.]w+)*\.[w+([-.](w+))]*	

element **AEOI_PERSON/EmailOrganisation**


diagram			
namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	aeoi:EmailAddress		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	maxLength	254	
	pattern	\w+([-\.'_,;:=~()!*~\$?&]w*)*@\w+([-.]w+)*\.[w+([-.](w+))]*	

element **AEOI_PERSON/TelephoneDirect**

diagram			
namespace	urn:lu:etat:acd:aeoi_lux:v2.0		

type	aeoi:Telephone		
properties	content	simple	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	32	

complexType
 AEOI_ReportingPerson_Type

diagram			
namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
children	aeoi:NameReportingPerson aeoi:IdentificationNumber aeoi:IdentificationNumberExtension aeoi:AddressReportingPerson aeoi:PersonContactReportingPerson		
used by	element	AEOI_FATCA/AEOI_ReportingPerson	
annotation	documentation	The Reporting Person. For FATCA or CRS/DAC2, the Reporting Person is the Reporting Financial Institution (RFI). This element is used by the ACD for tracking purposes (i.e. in case of ZeroReporting).	

element
 AEOI_ReportingPerson_Type/NameReportingPerson

diagram			
namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	aeoi:Name		
properties	content	simple	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	100	


element **AEOI_ReportingPerson_Type/IdentificationNumber**

diagram	aeoi:IdentificationNumber Entity Identification Number (matricule). Format: Not empty string - up to 13 characters.
namespace	urn:lu:etat:acd:aeoi_lux:v2.0
type	aeoi:PersonalIdentificationNumber
properties	content simple
facets	Kind Value pattern (((0-2){1}([0-9]{10})([0-9]{2}){0,1})\s*) ((\s*([Nn](/ \.)?(\s)*[Aa])(\.)?(\s)*)) Annotation
annotation	documentation Entity Identification Number (matricule). Format: Not empty string - up to 13 characters.


element **AEOI_ReportingPerson_Type/IdentificationNumberExtension**

diagram	aeoi:IdentificationNumberExten...		
namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	aeoi:Identifier Extension Type		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	pattern	((([A-Z])([0-9]{8})))	

element **AEOI_ReportingPerson_Type/AddressReportingPerson**

diagram	
namespace	urn:lu:etat:acd:aeoi_lux:v2.0
type	aeoi:AEOI_ADDRESS
properties	content complex
children	aeoi:StreetPhysical aeoi:NumberPhysical aeoi:PostalCodePhysical aeoi:CityPhysical aeoi:CountryPhysical aeoi:POBox aeoi:PostalCodePostal aeoi:CityPostal aeoi:CountryPostal

element **AEOI_ReportingPerson_Type/PersonContactReportingPerson**

diagram	
namespace	urn:lu:etat:acd:aeoi_lux:v2.0
type	aeoi:AEOI_PERSON
properties	content complex
children	aeoi:Name aeoi:FirstName aeoi:EmailPersonal aeoi:EmailOrganisation aeoi:TelephoneDirect

simpleType City

namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	restriction of xsd:string		
properties	base	xsd:string	
used by	elements	AEOI_ADDRESS/CityPhysical AEOI_ADDRESS/CityPostal	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	75	
annotation	documentation City, town,Format: Not empty string - up to 75 characters		

simpleType EmailAddress

namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	restriction of xsd:string		
properties	base	xsd:string	
used by	elements	AEOI_PERSON/EmailOrganisation AEOI_PERSON/EmailPersonal	
facets	Kind	Value	Annotation
	maxLength	254	
	pattern	\w+([-+.'_,;=:()!*~\$?&.;\w*)*@\w+([-.]\w+)*\.\w+([-.](\w+)+)*	
annotation	documentation Explanation: email address,Format: String - up to 254 characters,Restrictions and form of the address defined in the regular expression specified (standard grammar of an email address) e.g.: mon_adresse@mondomaine.lu		

simpleType FirstName

namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	restriction of xsd:string		
properties	base	xsd:string	
used by	element	AEOI_PERSON/FirstName	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	100	
annotation	documentation First name,Format: Not empty string - up to 100 characters		

simpleType GIIN_Identifier_Type

namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	restriction of xsd:string		
properties	base	xsd:string	
used by	element	AEOI_FATCA/RFI_Identifier	

facets	Kind pattern	Value ([A-NP-Z0-9]{6})(\.)([A-NP-Z0-9]{5})(\.)([A-Z]){2}(\.)\d{3}	Annotation
annotation	documentation	The RFI_Identifier defines the overall RFI Identification Number which is used in all RefId's (AEOI_RefId, DocRefId, MessageRefId...) and also used as ID inside the file name. In the context of the FATCA exchange this ID must be the RFI GIIN. GIIN means a Global Intermediary Identification Number assigned to the Reporting Luxembourg Financial Institution by the IRS. Format: Compliant to the IRS GIIN definition see URL: http://www.irs.gov/PUP/businesses/corporations/giin_composition.pdf	

simpleType Id_with_Extension_Type

namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	restriction of xsd:string		
properties	base	xsd:string	
facets	Kind pattern	Value ((([0-2]){1}([0-9]{10})([0-9]{2}){0,1})([A-Z])([0-9]{8}))	Annotation
annotation	documentation	Identification Number plus Extension. Please refer to the official documentation	

simpleType Identifier_Extension_Type

namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	restriction of xsd:string		
properties	base	xsd:string	
used by	element	AEOI_ReportingPerson_Type/IdentificationNumberExtension	
facets	Kind pattern	Value (([A-Z])([0-9]{8}))	Annotation
annotation	documentation	Identification Number Extension. Please refer to the official documentation	

simpleType Name

namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	restriction of xsd:string		
properties	base	xsd:string	
used by	elements	AEOI_PERSON/Name AEOI_Declarer/NameDeclarer AEOI_Depositor/NameDepositor AEOI_ReportingPerson_Type/NameReportingPerson	
facets	Kind minLength maxLength	Value 1 100	Annotation
annotation	documentation	Personal name or company name, Format: Not empty string - up to 100 characters	

simpleType Number

namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	restriction of xsd:string		
properties	base	xsd:string	
used by	element	AEOI_ADDRESS/NumberPhysical	
facets	Kind	Value	Annotation
	maxLength	100	
annotation	documentation Building, house or apartment number,Format: Not empty string - up to 100 characters		

simpleType PersonalIdentificationNumber

namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	restriction of xsd:string		
properties	base	xsd:string	
used by	elements	AEOI ReportingPerson Type/IdentificationNumber AEOI Declarer/PersonalIdentificationNumberDeclarer AEOI Depositor/PersonalIdentificationNumberDepositor	
facets	Kind	Value	Annotation
	pattern	(((0-2){1}([0-9]{10})([0-9]{2}){0,1})s*)((\s*([Nn](/ \.)?(s)*[Aa])(\.)?(s)*))	
annotation	documentation	Identification number (matricule) Format: Not empty string - up to 13 characters. If this institution doesn't have an Identification number, the text " NA " has to be filled in. (NA = not applicable)	

simpleType POBOX

namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	restriction of xsd:string		
properties	base	xsd:string	
used by	element	AEOI_ADDRESS/POBox	
facets	Kind	Value	Annotation
	maxLength	16	
annotation	documentation PO Box, Format: String - up to 16 characters		

simpleType PostalCode

namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	restriction of xsd:string		
properties	base	xsd:string	
used by	elements	AEOI_ADDRESS/PostalCodePhysical AEOI_ADDRESS/PostalCodePostal	
facets	Kind	Value	Annotation

	minLength 1 maxLength 16
annotation	documentation Postal code, ZIP code Format: Not empty string - up to 16 characters No restriction on the characters - not necessarily contain only numbers Warning: the country code should not be included! (see Type "country_code")

simpleType ReportingPeriod

namespace	urn:lu:etat:acd:aeoi_lux:v2.0						
type	restriction of xsd:string						
properties	base xsd:string						
used by	element AEOI_FATCA/ReportContent/ReportingPeriod						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>pattern</td><td>((2)[0-9]{3})(-)(([0-1][0-9])(-)(([0-3])([0-9]))</td><td></td></tr></table>	Kind	Value	Annotation	pattern	((2)[0-9]{3})(-)(([0-1][0-9])(-)(([0-3])([0-9]))	
Kind	Value	Annotation					
pattern	((2)[0-9]{3})(-)(([0-1][0-9])(-)(([0-3])([0-9]))						
annotation	documentation The reporting calendar year for which information is transmitted in documents of the current message. Format: YYYY-MM-DD e.g.: “2014-12-31” for calendar year 2014.						

simpleType ReportRefId_Type

namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	restriction of xsd:string		
properties	base	xsd:string	
used by	element	AEOI_FATCA/AEOI_RefId	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	100	
annotation	documentation The AEOI_RefId is the Automatic Exchange Of Information main identifier on file level and must for each produced report be unique. Expected Format: FATCA: \$GINN_\$YEAR_\$RP_\$ID, where: \$GINN is the Global IRS identifier, \$YEAR is the reporting year (YYYY), \$RP is the block for the report (HL for this bloc), and \$ID identification defined by the financial institution. CRS/DAC2: \$LU\$YYYY\$LU_\$RPC_\$IDMatric\$Ext_\$ID where LU = country code ISO 3166-1 alpha-2 of Luxembourg \$YYYY = reporting financial year,\$BLOC \$RP is the report (HL for this bloc) \$IDMatric the personal Identification Number of the RFI, \$Ext the Identification Number Extension (Please refer to the official documentation), and the \$ID identification defined by the financial institution. The \$ID identification should not include special characters (Please refer to the official documentation)		

simpleType Street

namespace	urn:lu:etat:acd:aeoi_lux:v2.0
-----------	-------------------------------

type	restriction of xsd:string		
properties	base	xsd:string	
used by	element	AEOI_ADDRESS/StreetPhysical	
facets	Kind	Value	Annotation
	maxLength	100	
annotation	documentation Street name or local name Format: Not empty string - up to 100 characters		

simpleType Telephone

namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	restriction of xsd:string		
properties	base	xsd:string	
used by	element	AEOI_PERSON/TelephoneDirect	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	32	
annotation	documentation Phone numberExplanation: Phone number, Format: Not empty string - up to 32 characters, e.g.: +352 25123456		

simpleType ZeroReport

namespace	urn:lu:etat:acd:aeoi_lux:v2.0		
type	restriction of xsd:boolean		
properties	base	xsd:boolean	
used by	element	AEOI_FATCA/ReportContent/ZeroReporting	
facets	Kind	Value	Annotation
	pattern	true 1	
annotation	documentation Indicates if this report is a Zero Report. Boolean type: Legal values for this boolean is only true,TRUE,1(which indicates true)		

simpleType CountryCode_Type


namespace	urn:occd:ties:isofatcatypes:v1		
type	restriction of xsd:string		
properties	base	xsd:string	
used by	elements	Address_Type/CountryCode PersonParty_Type/BirthInfo/CountryInfo/CountryCode PersonParty_Type/Nationality MessageSpec_Type/ReceivingCountry OrganisationParty_Type/ResCountryCode PersonParty_Type/ResCountryCode MessageSpec_Type/TransmittingCountry	
	attribute	TIN_Type/@issuedBy	
facets	Kind	Value	Annotation
	enumeration	AF	documentation AFGHANISTAN

	enumeration	.1	documentation
	enumeration	LU	.. documentation LUXEMBOURG
	enumeration	.3	documentation
	enumeration	US	.. documentation UNITED STATES
	enumeration	.3	documentation
	enumeration	ZW	.. documentation ZIMBABWE
annotation	documentation ISO-3166 Alpha 2 country codes		

simpleType currCode_Type

namespace	urn:oe.cd:ties:isofatcatypes:v1		
type	restriction of xsd:string		
properties	base	xsd:string	
used by	attribute	MonAmnt_Type/@currCode	
facets	Kind	Value	Annotation
	enumeration	AED	documentation UAE Dirham: UNITED ARAB EMIRATES
	enumeration	..1	documentation
	enumeration	EUR	... documentation Euro: ALAND ISLANDS; ANDORRA; AUSTRIA; BELGIUM; CYPRUS; ESTONIA; EUROPEAN UNION; FINLAND; FRANCE; FRENCH GUIANA; FRENCH SOUTHERN TERRITORIES; GERMANY; GREECE; GUADELOUPE; HOLY SEE (VATICAN CITY STATE); IRELAND; ITALY; KOSOVO; LUXEMBOURG; MALTA; MARTINIQUE; MAYOTTE; MONACO; MONTENEGRO; NETHERLANDS; PORTUGAL; REUNION; SAINT BARTHELEMY; SAINT MARTIN (FRENCH PART); SAINT PIERRE AND MIQUELON; SAN MARINO; SLOVAKIA; SLOVENIA; SPAIN; Vatican City State (HOLY SEE)
	enumeration	..2	documentation
	enumeration	USD	... documentation US Dollar: AMERICAN SAMOA; BONAIRE; SINT EUSTATIUS AND SABA; BRITISH INDIAN OCEAN TERRITORY; ECUADOR; EL SALVADOR; GUAM; HAITI; MARSHALL ISLANDS; MICRONESIA, FEDERATED STATES OF; NORTHERN MARIANA ISLANDS; PALAU; PANAMA; PUERTO RICO; TIMOR-LESTE; TURKS AND CAICOS ISLANDS, UNITED STATES; UNITED STATES MINOR OUTLYING ISLANDS; VIRGIN ISLANDS (BRITISH); VIRGIN ISLANDS (US)
	enumeration	..2	documentation
	enumeration	ZWL	... documentation Zimbabwe Dollar: ZIMBABWE
annotation	documentation The appropriate three-byte alpha currency code from ISO 4217 list to express currency for monetary amount. The former DEM - Germany, Deutsche Mark - was temporarily added to allow data from earlier years still to be transmitted.		


complexType Address_Type

diagram	 The user may enter data about the party address either as (1) AddressFree (2) AddressFix or (3) a combination of both. If the user of a party either as one long field or to spread the data over up to eight elements or even to use both formats. If the user chooses the option to enter the data required in separate elements, the container element for this will be 'AddressFix'. If the user chooses the option to enter the data required in a less structured way in 'AddressFree' all available address details shall be presented as one string of bytes, blank or "/" (slash) or carriage return- line feed used as a delimiter between parts of the address. PLEASE NOTE that the address country code is outside both of these elements. Use AddressFix format to allow easy matching and use AddressFree if the sender cannot identify the different parts of the address. May use both formats, City element is required and 'AddressFix' has to precede 'AddressFree'.					
namespace	urn:occd:ties:stffatcatypes:v2					
children	sfa:CountryCode sfa:AddressFree sfa:AddressFix sfa:AddressFree					
used by	elements OrganisationParty_Type/Address PersonParty_Type/Address					
attributes	Name legalAddressType	Type stf:OECDLegalAddressType EnumType	Use optional	Default	Fixed	Annotation documentation Type of the address (e.g. residential, business)
annotation	documentation The user may enter data about the party address either as (1) AddressFree (2) AddressFix or (3) a combination of both. If the user of a party either as one long field or to spread the data over up to eight elements or even to use both formats. If the user chooses the option to enter the data required in separate elements, the container element for this will be 'AddressFix'. If the user chooses the option to enter the data required in a less structured way in 'AddressFree' all available address details shall be presented as one string of bytes, blank or "/" (slash) or carriage return- line feed used as a delimiter between parts of the address. PLEASE NOTE that the address country code is outside both of these elements. Use AddressFix format to allow easy matching and use AddressFree if the sender cannot identify the different parts of the address. May use both formats, City element is required and 'AddressFix' has to precede 'AddressFree'.					


attribute **Address_Type/@legalAddressType**

type	stf:OECDLegalAddressType EnumType		
properties	use optional		
facets	Kind	Value	Annotation
	enumeration	OECD301	
	enumeration	OECD302	
	enumeration	OECD303	
	enumeration	OECD304	
	enumeration	OECD305	
annotation	documentation Type of the address (e.g. residential, business)		

element **Address_Type/CountryCode**


diagram	 2-character code for the country in the address		
namespace	urn:oecd:ties:stfatcatypes:v2		
type	iso:CountryCode Type		
properties	content simple		
facets	Kind	Value	Annotation
	enumeration	AF	documentation AFGHANISTAN
	enumeration	.1	documentation
	enumeration	LU	.. documentation LUXEMBOURG
	enumeration	.3	documentation
	enumeration	US	.. documentation UNITED STATES
	enumeration	.3	documentation
	enumeration	ZW	.. documentation ZIMBABWE
annotation	documentation 2-character code for the country in the address		

element **Address_Type/AddressFree**


diagram	 Address in free text format		
namespace	urn:oecd:ties:stfatcatypes:v2		
type	sfa:StringMax4000 Type		
properties	content simple		
facets	Kind	Value	Annotation
	minLength	0	
	maxLength	4000	

annotation	documentation Address in free text format
------------	--

element **Address_Type/AddressFix**


diagram	
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	sfa:AddressFix_Type
properties	content complex
children	sfa:Street sfa:BuildingIdentifier sfa:SuiteIdentifier sfa:FloorIdentifier sfa:DistrictName sfa:POB sfa:PostCode sfa:City sfa:CountrySubentity
annotation	documentation Address in predefined format

element **Address_Type/AddressFree**

diagram	
---------	---

namespace	urn:oe.cd:ties:stffatcatypes:v2
type	sfa:StringMax4000_Type
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 0 maxLength 4000
annotation	documentation Additionally to address in fix format a part that is presented in free text format.

complexType AddressFix_Type

diagram	 Structure of the address for a party in logical parts. Recommended format. The 'City' element is required. All other sub elements are simple text with 'string' data type.
namespace	urn:oe.cd:ties:stffatcatypes:v2
children	sfa:Street sfa:BuildingIdentifier sfa:SuiteIdentifier sfa:FloorIdentifier sfa:DistrictName sfa:POB sfa:PostCode sfa:City sfa:CountrySubentity
used by	element Address_Type/AddressFix
annotation	documentation Structure of the address for a party in logical parts. Recommended format. The 'City' element is required. All other sub elements are simple text with 'string' data type.

element **AddressFix_Type/Street**

diagram	 Street name
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	sfa:StringMax200_Type
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 0 maxLength 200
annotation	documentation Street name


element **AddressFix_Type/BuildingIdentifier**

diagram	 Building identifier
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	sfa:StringMax200_Type
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 0 maxLength 200
annotation	documentation Building identifier

element **AddressFix_Type/SuiteIdentifier**

diagram	 Suite identifier
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	sfa:StringMax200_Type
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 0 maxLength 200
annotation	documentation Suite identifier


element **AddressFix_Type/FloorIdentifier**

diagram	
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	sfa:StringMax200_Type
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 0 maxLength 200
annotation	documentation Floor identifier


element **AddressFix_Type/DistrictName**

diagram	
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	sfa:StringMax200_Type
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 0 maxLength 200
annotation	documentation District name

element **AddressFix_Type/POB**

diagram	
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	sfa:StringMax200_Type
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 0 maxLength 200
annotation	documentation Post office box

element **AddressFix_Type/PostCode**

diagram	 Postal code
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	sfa:StringMax200_Type
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 0 maxLength 200
annotation	documentation Postal code

element **AddressFix_Type/City**

diagram	 City name
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	sfa:StringMax200_Type
properties	content simple
facets	Kind Value Annotation minLength 0 maxLength 200
annotation	documentation City name

element **AddressFix_Type/CountrySubentity**

diagram	 Country sub entity
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	sfa:StringMax200_Type
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 0 maxLength 200
annotation	documentation Country sub entity

complexType **MessageSpec_Type**

diagram

MessageSpec_Type

Type for message specification. Identifies the Financial Institution (FI), or Tax Administration or third-party vendor sending a message. It specifies the date created, reporting year, and the nature of the report (original, corrected, amended, etc.).

sfa:SendingCompanyIN

Identifying number of the sender. For example, if the sender is a financial institution, the SendingCompanyIN will be the unique 19-character GIIN of this institution. If the sender is HCTA, the SendingCompanyIN will be the unique 19-character FATCT entity identifier of the HCTA.

sfa:TransmittingCountry

The jurisdiction where the reported financial account is maintained or where the reported payment is made by the reporting FI. If HCTA, the country is the tax jurisdiction and uses alpha-2 country code specified by ISO 3166-1 standard.

sfa:ReceivingCountry

Tax jurisdiction of the recipient, e.g. the United States (US) in alpha-2 country code specified by ISO 3166-1 standard.

sfa:MessageType

The type of message, e.g. FATCA

sfa:Warning

Free text expressing the restrictions for use of the information this message contains and the legal framework under which it is given

sfa:Contact

Free text field not intended for automatic processing. May contain contact information about persons responsible for legal and/or technical data preparation and transmission.

sfa:MessageRefId

Sender's unique identifier for this message. Must be unique for the lifespan of the FATCA reporting system.

sfa:CorrMessageRefId

0..∞

Sender's unique identifier for a previously filed message to be corrected, voided or amended. May reference one or more previous messages.

sfa:ReportingPeriod

The reporting year for the current message

sfa:Timestamp


The date and time when the report was created

namespace	urn:oe.cd:ties:stffatcatypes:v2
children	sfa:SendingCompanyIN sfa:TransmittingCountry sfa:ReceivingCountry sfa:MessageType sfa:Warning sfa:Contact sfa:MessageRefId sfa:CorrMessageRefId sfa:ReportingPeriod sfa:Timestamp
used by	element FATCA_LUX/MessageSpec
annotation	documentation Type for message specification. Identifies the Financial Institution (FI), or Tax Administration or third-party vendor sending a message. It specifies the date created, reporting year, and the nature of the report (original, corrected, amended, etc.).

element **MessageSpec_Type/SendingCompanyIN**

diagram	 Identifying number of the sender. For example, if the sender is a financial institution, the SendingCompanyIN will be the unique 19-character GIIN of this institution. If the sender is HCTA, the SendingCompanyIN will be the unique 19-character FATCT entity identifier of the HCTA.		
namespace	urn:oe.cd:ties:stffatcatypes:v2		
type	sfa:StringMax200_Type		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	minLength	0	
	maxLength	200	
annotation	documentation Identifying number of the sender. For example, if the sender is a financial institution, the SendingCompanyIN will be the unique 19-character GIIN of this institution. If the sender is HCTA, the SendingCompanyIN will be the unique 19-character FATCT entity identifier of the HCTA.		

element **MessageSpec_Type/TransmittingCountry**


diagram	 The jurisdiction where the reported financial account is maintained or where the reported payment is made by the reporting FI. If HCTA, the country is the tax jurisdiction and uses alpha-2 country code specified by ISO 3166-1 standard.		
namespace	urn:oe.cd:ties:stffatcatypes:v2		
type	iso:CountryCode_Type		
properties	content	simple	
facets	Kind	Value	Annotation
	enumeration	AF	documentation
	enumeration	.1	AFGHANISTAN
		..	documentation

	enumeration	LU	documentation LUXEMBOURG
	enumeration	.3	documentation ..
	enumeration	US	documentation UNITED STATES
	enumeration	.3	documentation ..
	enumeration	ZW	documentation ZIMBABWE
annotation	documentation The jurisdiction where the reported financial account is maintained or where the reported payment is made by the reporting FI. If HCTA, the country is the tax jurisdiction and uses alpha-2 country code specified by ISO 3166-1 standard.		

element **MessageSpec_Type/ReceivingCountry**

diagram	 Tax jurisdiction of the recipient, e.g. the United States (US) in alpha-2 country code specified by ISO 3166-1 standard.		
namespace	urn:oe.cd:ties:stffatcatypes:v2		
type	iso:CountryCode_Type		
properties	content	simple	
facets	Kind	Value	Annotation
	enumeration	AF	documentation AFGHANISTAN
	enumeration	.1	documentation ..
	enumeration	LU	documentation LUXEMBOURG
	enumeration	.3	documentation ..
	enumeration	US	documentation UNITED STATES
	enumeration	.3	documentation ..
	enumeration	ZW	documentation ZIMBABWE
annotation	documentation Tax jurisdiction of the recipient, e.g. the United States (US) in alpha-2 country code specified by ISO 3166-1 standard.		

element **MessageSpec_Type/MessageType**

diagram	 The type of message, e.g. FATCA		
namespace	urn:oe.cd:ties:stffatcatypes:v2		
type	sfa:MessageType_EnumType		
properties	content	simple	
facets	Kind	Value	Annotation
	enumeration	FATCA	
annotation	documentation The type of message, e.g. FATCA		


element **MessageSpec_Type/Warning**

diagram	sfa:Warning Free text expressing the restrictions for use of the information this message contains and the legal framework under which it is given
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	sfa:StringMax4000_Type
properties	minOcc0 maxOcc1 contentsimple
facets	KindValueAnnotation minLength0 maxLength4000
annotation	documentation Free text expressing the restrictions for use of the information this message contains and the legal framework under which it is given

element **MessageSpec_Type/Contact**

diagram	
---------	--

element **MessageSpec_Type/MessageRefId**

diagram	 Sender's unique identifier for this message. Must be unique for the lifespan of the FATCA reporting system.
namespace	urn:oe.cd:ties:stffatcatypes:v2

type	sfa:StringMax200_Type		
properties	content	simple	
facets	Kind	Value	Annotation
	minLength	0	
	maxLength	200	
annotation	documentation Sender's unique identifier for this message. Must be unique for the lifespan of the FATCA reporting system.		

element **MessageSpec_Type/CorrMessageRefId**

diagram	 0..∞ Sender's unique identifier for a previously filed message to be corrected, voided or amended. May reference one or more previous messages.		
namespace	urn:oe.cd:ties:stffatcatypes:v2		
type	sfa:StringMax200_Type		
properties	minOcc	0	
	maxOcc	unbounded	
	content	simple	
facets	Kind	Value	Annotation
	minLength	0	
	maxLength	200	
annotation	documentation Sender's unique identifier for a previously filed message to be corrected, voided or amended. May reference one or more previous messages.		

element **MessageSpec_Type/ReportingPeriod**


diagram	 The reporting year for the current message
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	xsd:date
properties	content simple
annotation	documentation The reporting year for the current message

element **MessageSpec_Type/Timestamp**

diagram	 The date and time when the report was created		
namespace	urn:oe.cd:ties:stffatcatypes:v2		
type	xsd:dateTime		

properties	content simple
annotation	documentation The date and time when the report was created

complexType **MonAmnt_Type**


diagram						
namespace	urn:oe.cd:ties:stffatcatypes:v2					
type	extension of sfa:TwoDigFract_Type					
properties	base sfa:TwoDigFract_Type					
used by	elements CorrectableAccountReport_Type/AccountBalance Payment_Type/PaymentAmnt CorrectablePoolReport_Type/PoolBalance					
facets	Kind fractionDigits	Value 2	Annotation			
attributes	Name currCode	Type iso:currCode_Type	Use required	Default	Fixed	Annotation documentation 3-letter currency code specified by ISO 4217 standard
annotation	documentation This data type is to be used whenever monetary amounts are communicated. Such amounts are entered with 2-digit fractions of the main currency unit, e.g. 50500.00. The currency code is based on ISO 4217 and included in attribute currCode.					

attribute **MonAmnt_Type/@currCode**

type	iso:currCode_Type					
properties	use required					
facets	Kind enumeration	Value AED	Annotation documentation UAE Dirham: UNITED ARAB EMIRATES			
	enumeration	..1	documentation ...			
	enumeration	EUR	documentation Euro: ALAND ISLANDS; ANDORRA; AUSTRIA; BELGIUM; CYPRUS; ESTONIA; EUROPEAN UNION; FINLAND; FRANCE; FRENCH GUIANA; FRENCH SOUTHERN TERRITORIES; GERMANY; GREECE; GUADELOUPE; HOLY SEE (VATICAN CITY STATE); IRELAND; ITALY; KOSOVO; LUXEMBOURG; MALTA; MARTINIQUE; MAYOTTE; MONACO; MONTENEGRO; NETHERLANDS; PORTUGAL; REUNION; SAINT			

	enumeration ..2	BARTHELEMY; SAINT MARTIN (FRENCH PART); SAINT PIERRE AND MIQUELON; SAN MARINO; SLOVAKIA; SLOVENIA; SPAIN; Vatican City State (HOLY SEE)
	enumeration USD	documentation ...
	enumeration ..2	documentation US Dollar: AMERICAN SAMOA; BONAIRE; SINT EUSTATIUS AND SABA; BRITISH INDIAN OCEAN TERRITORY; ECUADOR; EL SALVADOR; GUAM; HAITI; MARSHALL ISLANDS; MICRONESIA, FEDERATED STATES OF; NORTHERN MARIANA ISLANDS; PALAU; PANAMA; PUERTO RICO; TIMOR-LESTE; TURKS AND CAICOS ISLANDS, UNITED STATES; UNITED STATES MINOR OUTLYING ISLANDS; VIRGIN ISLANDS (BRITISH); VIRGIN ISLANDS (US)
	enumeration ZWL	documentation ...
		Zimbabwe Dollar: ZIMBABWE
annotation	documentation	3-letter currency code specified by ISO 4217 standard

complexType NameOrganisation_Type

diagram						
namespace	urn:oe.cd:ties:stffatcatypes:v2					
type	extension of sfa:StringMax200_Type					
properties	base	sfa:StringMax200_Type				
used by	element	OrganisationParty_Type/Name				
facets	Kind	Value	Annotation			
	minLength	0				
	maxLength	200				
attributes	Name	Type	Use	Default	Fixed	Annotation
	nameType	stf:OECDNameType_EnumType	optional			documentation Defines the name type of organization name (e.g. legal)
annotation	documentation	Name of organisation				

attribute NameOrganisation_Type/@nameType

type	stf:OECDNameType_EnumType					
properties	use	optional				
facets	Kind	Value	Annotation			
	enumeration	OECD201				
	enumeration	OECD202				
	enumeration	OECD203				
	enumeration	OECD204				
	enumeration	OECD205				
	enumeration	OECD206				

	enumeration OECD207 enumeration OECD208
annotation	documentation Defines the name type of organization name (e.g. legal)

complexType NamePerson_Type

diagram

NamePerson_Type

The user must spread the data about the name of a party over up to six elements. The container element for this will be 'NameFo'.

attributes

nameType

Defines the name type of Person Name. Example:at birth

sfa:PrecedingTitle

His Excellency, Estate of the Late ...

sfa:Title

0..∞

Greeting title. Example: Mr, Dr, Ms, Herr, etc. Can have multiple titles.

sfa:FirstName

First name of the person

sfa:MiddleName

0..∞

Middle name (essential part of the name for many nationalities). Example: Sakthi in "Nivetha Sakthi Shantha". May have multiple middle names.

sfa:NamePrefix

de, van, van de, von, etc. Example: Derick de Clarke

sfa:LastName

Represents the position of the name in a name string. Can be given name, forename, Christian name, surname, family name, etc. Use the attribute NameType to define the type of name, such as a company name.

sfa:GenerationIdentifier

0..∞

Jnr, Thr Third, III

sfa:Suffix

0..∞

Could be compressed initials - PhD, VC, QC

sfa:GeneralSuffix

Deceased, Retired ...


namespace urn:oe.cd.ties:stffatcatypes:v2

children	sfa:PrecedingTitle sfa:Title sfa:FirstName sfa:MiddleName sfa:NamePrefix sfa:LastName sfa:GenerationIdentifier sfa:Suffix sfa:GeneralSuffix					
used by	element	PersonParty_Type/Name				
attributes	Name nameType	Type stf:OECDNameType EnumType	Use optional	Default	Fixed	Annotation documentation Defines the name type of Person Name. Example:at birth
annotation	documentation The user must spread the data about the name of a party over up to six elements. The container element for this will be 'NameFix'.					

attribute **NamePerson_Type/@nameType**

type	stf:OECDNameType EnumType		
properties	use	optional	
facets	Kind	Value	Annotation
	enumeration	OECD201	
	enumeration	OECD202	
	enumeration	OECD203	
	enumeration	OECD204	
	enumeration	OECD205	
	enumeration	OECD206	
	enumeration	OECD207	
enumeration	OECD208		
annotation	documentation Defines the name type of Person Name. Example:at birth		


element **NamePerson_Type/PrecedingTitle**

diagram	
namespace	urn:oecd:ties:stffatcatypes:v2
type	sfa:StringMax200_Type
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 0 maxLength 200
annotation	documentation His Excellency,Estate of the Late ...

element **NamePerson_Type/Title**

diagram	sfa:Title 0..∞ Greeting title. Example: Mr, Dr, Ms, Herr, etc. Can have multiple titles.
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	sfa:StringMax200_Type
properties	minOcc0 maxOccunbounded contentsimple
facets	KindValueAnnotation minLength0 maxLength200
annotation	documentation Greeting title. Example: Mr, Dr, Ms, Herr, etc. Can have multiple titles.

element **NamePerson_Type/FirstName**

diagram	 The diagram shows an element sfa:FirstName with the description "First name of the person". It has an attribute xnlNameType with the description "Defines the name type of FirstName. Example: Given name, forename, Christian name, father's name, etc. In some countries, the first name could be a family name or a surname."														
namespace	urn:oe.cd:ties:stffatcatypes:v2														
type	extension of sfa:StringMax200_Type														
properties	content complex														
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>0</td><td></td></tr><tr><td>maxLength</td><td>200</td><td></td></tr></tbody></table>						Kind	Value	Annotation	minLength	0		maxLength	200	
Kind	Value	Annotation													
minLength	0														
maxLength	200														
attributes	Name xnlNameType	Type sfa:StringMax200_Type	Use	Default	Fixed	Annotation documentation Defines the name type of FirstName. Example: Given name, forename, Christian name, father's name, etc. In some countries, the first name could be a family name or a surname.									
annotation	documentation First name of the person														

attribute **NamePerson_Type/FirstName/@xnlNameType**

type	sfa:StringMax200_Type		
facets	Kind	Value	Annotation
	minLength	0	
	maxLength	200	
annotation	documentation Defines the name type of FirstName. Example: Given name, forename, Christian name, father's name, etc. In some countries, the first name could be a family name or a surname.		


element **NamePerson_Type/MiddleName**

diagram						
namespace	urn:oe.cd:ties:stffatcatypes:v2					
type	extension of sfa:StringMax200_Type					
properties	minOcc	0	maxOcc	unbounded	content	complex
facets	Kind	Value	Annotation			
	minLength	0				
	maxLength	200				
attributes	Name	Type	Use	Default	Fixed	Annotation
	xnlNameType	sfa:StringMax200_Type				documentation Defines the name type of Middle Name. Example: First name, middle name, maiden name, father's name, given name, etc.
annotation	documentation Middle name (essential part of the name for many nationalities). Example: Sakthi in "Nivetha Sakthi Shantha". May have multiple middle names.					

attribute **NamePerson_Type/MiddleName/@xnlNameType**

type	sfa:StringMax200_Type		
facets	Kind	Value	Annotation
	minLength	0	
	maxLength	200	
annotation	documentation Defines the name type of Middle Name. Example: First name, middle name, maiden name, father's name, given name, etc.		


element **NamePerson_Type/LastName**

diagram						
namespace	urn:oe.cd:ties:stffatcatypes:v2					
type	extension of sfa:StringMax200_Type					
properties	content	complex				
facets	Kind	Value	Annotation			
	minLength	0				
	maxLength	200				
attributes	Name	Type	Use	Default	Fixed	Annotation
	xmlnsNameType	sfa:StringMax200_Type				documentation Defines the name type of LastName. Example: father's name, family name, surname, mother's name, etc. In some countries, the LastName may be the given name or first name.
annotation	documentation Represents the position of the name in a name string. Can be given name, forename, Christian name, surname, family name, etc. Use the attribute NameType to define the type of name, such as a company name.					


attribute **NamePerson_Type/LastName/@xmlnsNameType**

type	sfa:StringMax200_Type		
facets	Kind	Value	Annotation
	minLength	0	
	maxLength	200	
annotation	documentation Defines the name type of LastName. Example: father's name, family name, surname, mother's name, etc. In some countries, the LastName may be the given name or first name.		


element **NamePerson_Type/GenerationIdentifier**

diagram	 Jnr, Thr Third, III
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	sfa:StringMax200_Type
properties	minOcc 0 maxOcc unbounded content simple
facets	Kind Value Annotation minLength 0 maxLength 200
annotation	documentation Jnr, Thr Third, III


element **NamePerson_Type/Suffix**

diagram	 Could be compressed initials - PhD, VC, QC
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	sfa:StringMax200_Type
properties	minOcc 0 maxOcc unbounded content simple
facets	Kind Value Annotation minLength 0 maxLength 200
annotation	documentation Could be compressed initials - PhD, VC, QC


element **NamePerson_Type/GeneralSuffix**

diagram	 Deceased, Retired ...
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	sfa:StringMax200_Type
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 0 maxLength 200
annotation	documentation Deceased, Retired ...

complexType **OrganisationParty_Type**


diagram	 This container brings together all data about an organisation as a party. Name and address are required components and each can be present more than once to enable a complete description. Whenever possible one or more identifiers (TIN, etc.) should be added as well as a residence country code. Additional data that describes and identifies the party can be given. The code for the legal type according to the OECD code list must be added. The structures of all of the sub elements are defined elsewhere in this schema.
namespace	urn:oe.cd:ties:stffatcatypes:v2
children	sfa:ResCountryCode sfa:TIN sfa:Name sfa:Address
used by	elements AccountHolder_Type/Organisation SubstantialOwner_Type/Organisation complexType CorrectableReportOrganisation_Type
annotation	documentation This container brings together all data about an organisation as a party. Name and address are required components and each can be present more than once to enable a complete description. Whenever possible one or more identifiers (TIN, etc.) should be added as well as a residence country code. Additional data that describes and identifies the party can be given. The code for the legal type according to the OECD code list must be added. The structures of all of the sub elements are defined elsewhere in this schema.

element **OrganisationParty_Type/ResCountryCode**


diagram													
namespace	urn:oe.cd:ties:stffatcatypes:v2												
type	iso:CountryCode_Type												
properties	<table><tr><td>minOcc</td><td>0</td></tr><tr><td>maxOcc</td><td>unbounded</td></tr><tr><td>content</td><td>simple</td></tr></table>	minOcc	0	maxOcc	unbounded	content	simple						
minOcc	0												
maxOcc	unbounded												
content	simple												
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>AF</td><td>documentation AFGHANISTAN</td></tr><tr><td>enumeration</td><td>.1</td><td>documentation ..</td></tr><tr><td>enumeration</td><td>LU</td><td>documentation LUXEMBOURG</td></tr></table>	Kind	Value	Annotation	enumeration	AF	documentation AFGHANISTAN	enumeration	.1	documentation ..	enumeration	LU	documentation LUXEMBOURG
Kind	Value	Annotation											
enumeration	AF	documentation AFGHANISTAN											
enumeration	.1	documentation ..											
enumeration	LU	documentation LUXEMBOURG											

	enumeration	.3	documentation ..
	enumeration	US	documentation UNITED STATES
	enumeration	.3	documentation ..
	enumeration	ZW	documentation ZIMBABWE
annotation	documentation 2-character code of tax residence country for the organisation		

element
 OrganisationParty_Type/TIN

diagram							
namespace	urn:oe.cd:ties:stffatcatypes:v2						
type	sfa:TIN_Type						
properties	minOcc	0	maxOcc	unbounded	content	complex	
facets	Kind	Value	Annotation	minLength	1	maxLength	200
attributes	Name	Type	Use	Default	Fixed	Annotation	
	issuedBy	iso:CountryCode_Type	optional			documentation Country code of issuing country, indicating country of Residence (to taxes and other)	
annotation	documentation Tax Identification Number						


element **OrganisationParty_Type/Name**

diagram						
namespace	urn:oe.cd:ties:stffatcatypes:v2					
type	sfa:NameOrganisation_Type					
properties	minOcc	1				
	maxOcc	unbounded				
	content	complex				
facets	Kind	Value	Annotation			
	minLength	0				
	maxLength	200				
attributes	Name	Type	Use	Default	Fixed	Annotation
	nameType	stf:OECDNameType EnumType	optional			documentation Defines the name type of organization name (e.g. legal)
annotation	documentation Name of the organisation					


element **OrganisationParty_Type/Address**

diagram						
namespace	urn:oe.cd:ties:stffatcatypes:v2					
type	sfa:Address_Type					
properties	minOcc	1	maxOcc	unbounded	content	complex
children	sfa:CountryCode sfa:AddressFree sfa:AddressFix sfa:AddressFree					
attributes	Name legalAddressType	Type stf:OECDLegalAddressType	Use optional	Default	Fixed	Annotation documentation Type of the address (e.g. residential, business)
annotation	documentation Address of the organisation					

complexType **PersonParty_Type**


diagram	 This container brings together all data about a person as a party. Name and address are required components and each can be present more than once to enable as complete a description as possible. Whenever possible one or more identifiers (TIN etc) should be added as well as a residence country code. Additional data that describes and identifies the party can be given. The code for the legal type according to the OECD code list must be added. The structures of all of the sub elements are defined elsewhere in this schema.
namespace	urn:oe.cd:ties:stffatcatypes:v2
children	sfa:ResCountryCode sfa:TIN sfa:Name sfa:Address sfa:Nationality sfa:BirthInfo
used by	elements AccountHolder_Type/Individual SubstantialOwner_Type/Individual
annotation	documentation This container brings together all data about a person as a party. Name and address are required components and each can be present more than once to enable as complete a description as possible. Whenever possible one or more identifiers (TIN etc) should be added as well as a residence country code. Additional data that describes and identifies the party can be given. The code for the legal type according to the OECD code list must be added. The structures of all of the sub elements are defined elsewhere in this schema.

element **PersonParty_Type/ResCountryCode**

diagram	
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	iso:CountryCode_Type
properties	minOcc 0

	maxOcc content	unbounded simple	
facets	Kind enumeration enumeration enumeration enumeration enumeration enumeration enumeration	Value AF .1 LU .3 US .3 ZW	Annotation documentation AFGHANISTAN documentation .. documentation LUXEMBOURG documentation .. documentation UNITED STATES documentation .. documentation ZIMBABWE
annotation	documentation 2-character code of tax residence country for the person		


element **PersonParty_Type/TIN**

diagram						
namespace	urn:oe.cd:ties:stffatcatypes:v2					
type	sfa:TIN_Type					
properties	minOcc maxOcc content	0 unbounded complex				
facets	Kind minLength maxLength	Value 1 200	Annotation			
attributes	Name issuedBy	Type iso:CountryCode_Type	Use optional	Default	Fixed	Annotation documentation Country code of issuing country, indicating country of Residence (to taxes and other)
annotation	documentation Tax Identification Number (TIN) used by the receiving tax administration to identify the person					

element **PersonParty_Type/Name**



diagram




namespace	urn:oe.cd:ties:stffatcatypes:v2					
type	sfa:NamePerson_Type					
properties	minOcc	1	maxOcc	unbounded	content	complex
children	sfa:PrecedingTitle sfa:Title sfa:FirstName sfa:MiddleName sfa:NamePrefix sfa:LastName sfa:GenerationIdentifier sfa:Suffix sfa:GeneralSuffix					
attributes	Name nameType	Type stf:OECDNameType EnumType	Use optional	Default	Fixed	Annotation documentation Defines the name type of Person Name. Example:at birth
annotation	documentation Name of the person					

element **PersonParty_Type/Address**

diagram						
namespace	urn:oe.cd:ties:stffatcatypes:v2					
type	sfa:Address_Type					
properties	minOcc	1	maxOcc	unbounded	content	complex
children	sfa:CountryCode sfa:AddressFree sfa:AddressFix sfa:AddressFree					
attributes	Name legalAddressType	Type stf:OECDLegalAddressType EnumType	Use optional	Default	Fixed	Annotation documentation Type of the address (e.g. residential, business)

annotation	documentation Address of the person
------------	--

element **PersonParty_Type/Nationality**


diagram																									
namespace	urn:oe.cd:ties:stffatcatypes:v2																								
type	iso:CountryCode Type																								
properties	<table><tr><td>minOcc</td><td>0</td></tr><tr><td>maxOcc</td><td>unbounded</td></tr><tr><td>content</td><td>simple</td></tr></table>	minOcc	0	maxOcc	unbounded	content	simple																		
minOcc	0																								
maxOcc	unbounded																								
content	simple																								
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>AF</td><td>documentation AFGHANISTAN</td></tr><tr><td>enumeration</td><td>.1</td><td>documentation</td></tr><tr><td>enumeration</td><td>LU</td><td>documentation LUXEMBOURG</td></tr><tr><td>enumeration</td><td>.3</td><td>documentation</td></tr><tr><td>enumeration</td><td>US</td><td>documentation UNITED STATES</td></tr><tr><td>enumeration</td><td>.3</td><td>documentation</td></tr><tr><td>enumeration</td><td>ZW</td><td>documentation ZIMBABWE</td></tr></table>	Kind	Value	Annotation	enumeration	AF	documentation AFGHANISTAN	enumeration	.1	documentation	enumeration	LU	documentation LUXEMBOURG	enumeration	.3	documentation	enumeration	US	documentation UNITED STATES	enumeration	.3	documentation	enumeration	ZW	documentation ZIMBABWE
Kind	Value	Annotation																							
enumeration	AF	documentation AFGHANISTAN																							
enumeration	.1	documentation																							
enumeration	LU	documentation LUXEMBOURG																							
enumeration	.3	documentation																							
enumeration	US	documentation UNITED STATES																							
enumeration	.3	documentation																							
enumeration	ZW	documentation ZIMBABWE																							
annotation	<table><tr><td>documentation 2-character code of nationality of the person</td></tr></table>	documentation 2-character code of nationality of the person																							
documentation 2-character code of nationality of the person																									

element **PersonParty_Type/BirthInfo**

diagram	<pre> classDiagram class sfaBirthInfo["sfa:BirthInfo"] { "Birth information about the person" } class sfaBirthDate["sfa:BirthDate"] { "Data of birth" } class sfaCity["sfa:City"] { "City where the person was born" } class sfaCitySubentity["sfa:CitySubentity"] { "City subentity where the person was born" } class sfaCountryInfo["sfa:CountryInfo"] { "Information about a country where the person was born." } sfaBirthInfo "1" -- "1" sfaBirthDate sfaBirthInfo "1" -- "1" sfaCity sfaBirthInfo "1" -- "1" sfaCitySubentity sfaBirthInfo "1" -- "1" sfaCountryInfo </pre> The diagram illustrates the structure of the sfa:BirthInfo class. It is a composition of four other classes: sfa:BirthDate, sfa:City, sfa:CitySubentity, and sfa:CountryInfo. Each component class is represented by a dashed box with its name and a brief description. The sfa:BirthInfo class is shown as a solid box with a small square icon, indicating it is the root of the composition. The relationships are shown as solid lines with open circles at the ends, indicating a 1:1 composition.
namespace	urn:oe.cd:ties:stffatcatypes:v2
properties	minOcc 0 maxOcc 1 content complex
children	sfa:BirthDate sfa:City sfa:CitySubentity sfa:CountryInfo

annotation	documentation Birth information about the person
------------	---


element **PersonParty_Type/BirthInfo/BirthDate**

diagram	 sfa:BirthDate Data of birth
namespace	urn:oe.cd:ties:stffatcatypes:v2
type	xsd:date
properties	minOcc 0 maxOcc 1 content simple
annotation	documentation Data of birth


element **PersonParty_Type/BirthInfo/City**

diagram	 City where the person was born									
namespace	urn:oe.cd:ties:stffatcatypes:v2									
type	sfa:StringMax200_Type									
properties	<table><tr><td>minOcc</td><td>0</td></tr><tr><td>maxOcc</td><td>1</td></tr><tr><td>content</td><td>simple</td></tr></table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>0</td><td></td></tr><tr><td>maxLength</td><td>200</td><td></td></tr></table>	Kind	Value	Annotation	minLength	0		maxLength	200	
Kind	Value	Annotation								
minLength	0									
maxLength	200									
annotation	documentation City where the person was born									

element **PersonParty_Type/BirthInfo/CitySubentity**

diagram	 sfa:CitySubentity City subentity where the person was born									
namespace	urn:oe.cd:ties:stffatcatypes:v2									
type	sfa:StringMax200_Type									
properties	<table><tr><td>minOcc</td><td>0</td></tr><tr><td>maxOcc</td><td>1</td></tr><tr><td>content</td><td>simple</td></tr></table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>0</td><td></td></tr><tr><td>maxLength</td><td>200</td><td></td></tr></table>	Kind	Value	Annotation	minLength	0		maxLength	200	
Kind	Value	Annotation								
minLength	0									
maxLength	200									
annotation	documentation City subentity where the person was born									

element **PersonParty_Type/BirthInfo/CountryInfo**

diagram	
namespace	urn:oecd:ties:stffatcatypes:v2
properties	minOcc 0 maxOcc 1 content complex
children	sfa:CountryCode sfa:FormerCountryName
annotation	documentation Information about a country where the person was born.

element **PersonParty_Type/BirthInfo/CountryInfo/CountryCode**


diagram	sfa:CountryCode 2-character country code based on ISO-3166.		
namespace	urn:oecd:ties:stffatcatypes:v2		
type	iso:CountryCode_Type		
properties	content	simple	
facets	Kind	Value	Annotation
	enumeration	AF	documentation AFGHANISTAN
	enumeration	.1	documentation ..
	enumeration	LU	documentation LUXEMBOURG
	enumeration	.3	documentation ..
	enumeration	US	documentation UNITED STATES
	enumeration	.3	documentation ..
	enumeration	ZW	documentation ZIMBABWE
annotation	documentation 2-character country code based on ISO-3166.		

element **PersonParty_Type/BirthInfo/CountryInfo/FormerCountryName**

diagram	
namespace	urn:oecd:ties:stffatcatypes:v2
type	sfa:StringMax200_Type
properties	content simple

facets	Kind	Value	Annotation
	minLength	0	
	maxLength	200	
annotation	documentation The name of the country where the person was born.		

complexType TIN_Type

diagram						
namespace	urn:oe.cd:ties:stffatcatypes:v2					
type	extension of sfa:StringMin1Max200_Type					
properties	base	sfa:StringMin1Max200_Type				
used by	elements	OrganisationParty_Type/TIN PersonParty_Type/TIN				
facets	Kind	Value	Annotation			
	minLength	1				
	maxLength	200				
attributes	Name	Type	Use	Default	Fixed	Annotation
	issuedBy	iso:CountryCode_Type	optional			documentation Country code of issuing country, indicating country of Residence (to taxes and other)
annotation	documentation This is the identification number/identification code for the party. As the identifier may be not strictly numeric, it is just defined as a string of characters. Attribute 'issuedBy' is required to designate the issuer of the identifier.					

attribute TIN_Type/@issuedBy

type	iso:CountryCode_Type					
properties	use	optional				
facets	Kind	Value	Annotation			
	enumeration	AF	documentation AFGHANISTAN			
	enumeration	.1	documentation ..			
	enumeration	LU	documentation LUXEMBOURG			
	enumeration	.3	documentation ..			
	enumeration	US	documentation UNITED STATES			

	enumeration .3 documentation enumeration ZW documentation ZIMBABWE
annotation	documentation Country code of issuing country, indicating country of Residence (to taxes and other)

simpleType MessageType EnumType

namespace	urn:oe.cd:ties.stffatcatypes:v2
type	restriction of xsd:string
properties	base xsd:string
used by	element MessageSpec_Type/MessageType
facets	Kind Value Annotation enumeration FATCA
annotation	documentation Message type defines the type of reporting

simpleType StringMax10_Type

namespace	urn:oe.cd:ties.stffatcatypes:v2
type	restriction of xsd:string
properties	base xsd:string
used by	attribute FATCA_LUX/@version
facets	Kind Value Annotation minLength 0 maxLength 10
annotation	documentation Defines a string with maximum length of 10

simpleType StringMax200_Type

namespace	urn:oe.cd:ties.stffatcatypes:v2
type	restriction of xsd:string
properties	base xsd:string
used by	elements DocSpec_Type/CorrDocRefId DocSpec_Type/CorrMessageRefId DocSpec_Type/DocRefId AdditionalData_Type/AdditionalItem/ItemName CARRef_Type/PoolReportDocRefId CARRef_Type/PoolReportMessageRefId CARRef_Type/PoolReportReportingFIGIIN AddressFix_Type/BuildingIdentifier AddressFix_Type/City PersonParty_Type/BirthInfo/City PersonParty_Type/BirthInfo/CitySubentity MessageSpec_Type/Contact MessageSpec_Type/CorrMessageRefId AddressFix_Type/CountrySubentity AddressFix_Type/DistrictName NamePerson_Type/FirstName AddressFix_Type/FloorIdentifier PersonParty_Type/BirthInfo/CountryInfo/FormerCountryName NamePerson_Type/GeneralSuffix NamePerson_Type/GenerationIdentifier NamePerson_Type/LastName MessageSpec_Type/MessageRefId NamePerson_Type/MiddleName NamePerson_Type/NamePrefix AddressFix_Type/POB AddressFix_Type/PostCode NamePerson_Type/PrecedingTitle MessageSpec_Type/SendingCompanyIN AddressFix_Type/Street NamePerson_Type/Suffix AddressFix_Type/SuiteIdentifier NamePerson_Type/Title complexTypes FIAccountNumber_Type NameOrganisation_Type attributes NamePerson_Type/FirstName/@xnlNameType NamePerson_Type/MiddleName/@xnlNameType NamePerson_Type/NamePrefix/@xnlNameType NamePerson_Type/LastName/@xnlNameType
facets	Kind Value Annotation

	minLength 0 maxLength 200
annotation	documentation Defines a string with maximum length of 200

simpleType **StringMax4000_Type**

namespace	urn:oecd:ties:stffatcatypes:v2
type	restriction of xsd:string
properties	base xsd:string
used by	elements AdditionalData_Type/AdditionalItem/ItemContent Payment_Type/PaymentTypeDesc Address_Type/AddressFree Address_Type/AddressFree MessageSpec_Type/Warning
facets	Kind Value Annotation minLength 0 maxLength 4000
annotation	documentation Defines a string with maximum length of 4000

simpleType **StringMin1Max200_Type**

namespace	urn:oecd:ties:stffatcatypes:v2
type	restriction of xsd:string
properties	base xsd:string
used by	complexType TIN_Type
facets	Kind Value Annotation minLength 1 maxLength 200
annotation	documentation Defines a string with minimum length 1 and maximum length of 200

simpleType **TwoDigFract_Type**

namespace	urn:oecd:ties:stffatcatypes:v2
type	restriction of xsd:decimal
properties	base xsd:decimal
used by	complexType MonAmnt_Type
facets	Kind Value Annotation fractionDigits 2
annotation	documentation Data type for any kind of numeric data with two decimal fraction digits, especially monetary amounts

simpleType **AcctNumberType_EnumType**

namespace	urn:oecd:ties:stf:v4
type	restriction of xsd:string
properties	base xsd:string
used by	attribute FIAccountNumber_Type/@AcctNumberType

facets	Kind	Value	Annotation
	enumeration	OECD601	documentation IBAN
	enumeration	OECD602	documentation OBAN
	enumeration	OECD603	documentation ISIN
	enumeration	OECD604	documentation OSIN
	enumeration	OECD605	documentation Other
annotation	documentation Account Number Type		

simpleType OECDLegalAddressType_EnumType

namespace	urn:oecd:ties:stf:v4		
type	restriction of xsd:token		
properties	base xsd:token		
used by	attribute Address_Type/@legalAddressType		
facets	Kind	Value	Annotation
	enumeration	OECD301	
	enumeration	OECD302	
	enumeration	OECD303	
	enumeration	OECD304	
	enumeration	OECD305	
annotation	documentation Datatype for an attribute to an address. It indicates the legal character of that address (residential, business etc.) Possible values are: OECD301=residential or business OECD302=residential OECD303=business OECD304=registered office OECD305=unspecified		

simpleType OECDNameType_EnumType

namespace	urn:oecd:ties:stf:v4		
type	restriction of xsd:string		
properties	base xsd:string		
used by	attributes NameOrganisation_Type/@nameType NamePerson_Type/@nameType		
facets	Kind	Value	Annotation
	enumeration	OECD201	
	enumeration	OECD202	
	enumeration	OECD203	
	enumeration	OECD204	
	enumeration	OECD205	
	enumeration	OECD206	
	enumeration	OECD207	
	enumeration	OECD208	
annotation	documentation		

	It is possible for stf documents to contain several names for the same party. This is a qualifier to indicate the type of a particular name. Such types include nicknames ('nick'), names under which a party does business ('dba' doing business as or a name that is used for public acquaintance instead of the official business name). Examples: in the United States, DaimlerChrysler is still known simply as Chrysler, Dr. William Black dba Quality Pediatrics, Inc. 'SMFAliasOrOther' should be chosen if the document is generated from a legacy SMF record, where no further distinction is possible. Possible values are: OECD201=SMFAliasOrOther OECD202=indiv OECD203=alias OECD204=nick OECD205=aka OECD206=dba OECD207=legal OECD208=at birth
--	--

simpleType CountryCode_Type

namespace	urn:lu:etat:acd:aeoi:iso_cntry:v1		
type	restriction of xsd:string		
properties	base xsd:string		
used by	elements AEOI_ADDRESS/CountryPhysical AEOI_ADDRESS/CountryPostal		
facets	Kind	Value	Annotation
	enumeration	AF	documentation AFGHANISTAN
	enumeration	.1	documentation ..
	enumeration	LU	documentation LUXEMBOURG
	enumeration	.2	documentation ..
	enumeration	US	documentation UNITED STATES
	enumeration	.3	documentation ...
	enumeration	ZW	documentation ZIMBABWE
annotation	documentation ISO-3166 Alpha 2 country codes		

simpleType currCode_Type

namespace	urn:lu:etat:acd:aeoi:iso_cntry:v1		
type	restriction of xsd:string		
properties	base xsd:string		
facets	Kind	Value	Annotation
	enumeration	AED	documentation UAE Dirham: UNITED ARAB EMIRATES
	enumeration	..1	documentation ..
	enumeration	EUR	documentation Euro: ALAND ISLANDS; ANDORRA; AUSTRIA; BELGIUM; CYPRUS; ESTONIA; EUROPEAN UNION; FINLAND; FRANCE; FRENCH GUIANA; FRENCH SOUTHERN TERRITORIES; GERMANY; GREECE; GUADELOUPE; HOLY SEE (VATICAN CITY STATE); IRELAND; ITALY; KOSOVO; LUXEMBOURG; MALTA; MARTINIQUE; MAYOTTE; MONACO; MONTENEGRO; NETHERLANDS; PORTUGAL; REUNION; SAINT BARTHELEMY; SAINT MARTIN (FRENCH PART); SAINT PIERRE AND MIQUELON; SAN MARINO; SLOVAKIA; SLOVENIA; SPAIN; Vatican City State (HOLY SEE)
	enumeration	..2	documentation ..

	enumeration USD documentation US Dollar: AMERICAN SAMOA; BONAIRE; SINT EUSTATIUS AND SABA; BRITISH INDIAN OCEAN TERRITORY; ECUADOR; EL SALVADOR; GUAM; HAITI; MARSHALL ISLANDS; MICRONESIA, FEDERATED STATES OF; NORTHERN MARIANA ISLANDS; PALAU; PANAMA; PUERTO RICO; TIMOR-LESTE; TURKS AND CAICOS ISLANDS, UNITED STATES; UNITED STATES MINOR OUTLYING ISLANDS; VIRGIN ISLANDS (BRITISH); VIRGIN ISLANDS (US) enumeration ..3 documentation ... enumeration ZWL documentation Zimbabwe Dollar: ZIMBABWE
annotation	documentation The appropriate three-byte alpha currency code from ISO 4217 list to express currency for monetary amount. The former DEM - Germany, Deutsche Mark - was temporarily added to allow data from earlier years still to be transmitted.